



MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES
BUREAU OF ENVIRONMENTAL REGULATIONS AND LICENSURE
LODGING ESTABLISHMENT INSPECTION REPORT

Establishment Name Crown Pointe Lodge Arrive: 12:19pm Leave: 12:45pm	Name of Owner/Contact Person Eagle Lake Restaurant, Inc./ Barrett Lewis
---	--

Mailing Address 4245 Hunt Rd.	City Farmington	Zip Code 63640
----------------------------------	--------------------	-------------------

Physical Address 4245 Hunt Rd.	City Farmington	Zip Code 63640
-----------------------------------	--------------------	-------------------

County 187	This inspection is a(n) <input type="checkbox"/> Initial <input checked="" type="checkbox"/> Follow-up	Complaint	Telephone 573-701-9747	No. of Stories 3	No. of Rooms 48	Rooms Inspected laundry, 208, 209, 213, pool
----------------------	---	-----------	---------------------------	---------------------	--------------------	---

Please check Yes or No next to each item.		Yes	No	Water Supply	Yes	No
Was this lodging facility built after October 31, 2005	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Is the water supply private	<input type="checkbox"/>	<input checked="" type="checkbox"/>
				Is the water supply public	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If built after October 31, 2005, does it have certification to national standards or an occupancy permit.	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Water sample taken	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Do the following local ordinances apply?				Sewage/Wastewater		
Fire safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Is the Sewage/Wastewater private	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Electrical wiring	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Is the Sewage/Wastewater public	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel burning appliances	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Swimming Pools/Spas		
Plumbing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Indoor pool	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swimming pools/spas	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Outdoor pool	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Food	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Spa	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Pool larger than 2000 square feet	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Based on an inspection this day, the items marked "No" below identify noncompliance in operations or facilities which must be corrected by the next routine inspection, or such shorter period of time as may be specified in writing by the regulatory authority. Failure to comply with any time limits for corrections specified in this notice may result in revocation of your lodging license and/or prosecution. Owners may request a hearing before the Department Director upon filing a written request within ten days after receipt of this notice. (RSMo 315.005-065, 19 CSR 20-3.050)

Yes=In Compliance		No=Not in Compliance, explain on additional page(s)				NB=Not Observed				NA=Not Applicable				
SECTION A: WATER SUPPLY					SECTION E: FIRE SAFETY (All Establishments cont.)									
1. Approved source, construction & operation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Doors and locks permitted	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Textiles, hangings and mirrors proper	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Complies with chemical, bacT & rad standards	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Fire extinguisher type, inspected, location	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Vertical openings protected	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Chlorinator maintained & operated properly.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	5. Doors, self closing & fire rated	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Smoke detectors installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SECTION B: SEWAGE & WASTEWATER					7. Fire alarm & sprinkler systems tested & approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Evacuation route and plan, installed, available	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1. Operating satisfactorily	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	9. Stairs and ramps maintained, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10. Means of egress, number, maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SECTION C: SANITATION/HOUSEKEEPING					11. Means of egress, number, maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SECTION F: SWIMMING POOLS/SPAS				
1. Walls, floors & ceilings in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Fence, gate adequate, proper closure mechanism	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Boundary line, pool depth properly marked	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Proper housekeeping practices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Boundary line, pool depth properly marked	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Lifesaving equipment adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Towels & bed linens clean	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Lifesaving equipment adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Pool clarity, pH, disinfectant, temp maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Mattresses & box springs clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Pool clarity, pH, disinfectant, temp maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Steps, ladders, deck installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. No evidence of rodents & insects	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Steps, ladders, deck installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Adequate ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Ice machines, scoops, liners, clean & protected	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Adequate ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7. Electrical outlets, proper protection & distance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Garbage & refuse properly maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7. Electrical outlets, proper protection & distance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8. Records maintained & signs posted	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8. Premises, plant growth controlled	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SECTION G: PLUMBING/MECHANICAL									
9. Food sources, sound condition, approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Equipment adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Ventilation adequate, plumbing, restrooms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. Food protected from contamination	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Ventilation adequate, plumbing, restrooms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Boilers/pressure vessels MDPS certified	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11. Proper facilities to wash, rinse & sanitize	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Boilers/pressure vessels MDPS certified	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. T & P relief valves adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12. Proper hygienic practices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. T & P relief valves adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Relief valve discharge pipes installed, adequate	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SECTION D: LIFE SAFETY					5. Relief valve discharge pipes installed, adequate	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Proper air gaps, no cross connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1. Combustible/toxic items properly used & stored	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Proper air gaps, no cross connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SECTION H: HEATING & COOLING				
2. Building maintained to assure safe conditions	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1. Unvented fuel-burn appliance/space heater approved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Unvented fuel-burn appliance/space heater approved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. CO detectors installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Fire resistant room or sprinkler head/detector	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Fire resistant room or sprinkler head/detector	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. GFCI and proper wiring installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Proper location of heating/cooling units	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Proper location of heating/cooling units	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. Exit signs installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Ventilation of appliances & utility rooms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Ventilation of appliances & utility rooms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Emergency lighting installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Operation & condition adequate	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Operation & condition adequate	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Electric panel protected, labeled, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Proper safety valve, thermo control, elect. switch	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Proper safety valve, thermo control, elect. switch	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SECTION E: FIRE SAFETY (New Establishment Only)					SECTION E: FIRE SAFETY (All Establishments)									
1. Smoke detectors hardwired & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Complies with local building codes, fire codes & ordinances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
2. Fire alarm system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>										
3. Sprinkler system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>										

INSPECTED BY John Wiseman	EPHS NUMBER 1507	AGENCY ST. FRANCOIS COUNTY HEALTH CENTER (573) 431 - 1947	TELEPHONE
LICENSING YEAR 2016-2017	APPROVED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE INSPECTED 11-2-16	SCHEDULED FOLLOW UP REVIEWED BY
		DATE 11-2-16	



Establishment Name: Crown Pointe Lodge Arrive: 12:19pm Leave: 1:15pm	Physical Address: 4245 Hunt Rd.	City: Farmington
---	------------------------------------	---------------------


SECTION REFERENCE	OBSERVATIONS AND ADDITIONAL COMMENTS
-------------------	--------------------------------------

All violations cited during the initial inspection have been corrected.

Third Party Inspections.

- E1) Fire inspection by the City of Farmington: Complete for 2016-2017
- E4) Fire extinguisher inspection: Complete for 2016-2017
- G6) Backflow inspection: Complete for 2016-2017
- E8) Sprinkler system: Complete for 2016-2017
- D2) Elevator safety inspection: Complete for 2016-2017

Inspected by:



John Wiseman

Date:

11-2-16

Received by:



Barrett Lewis

Date:

11-2-16