



MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES  
BUREAU OF ENVIRONMENTAL REGULATIONS AND LICENSURE  
**LODGING ESTABLISHMENT INSPECTION REPORT**

Establishment Name Red Cedar Lodge: Arrival 11:57am, Departure 12:58pm	Name of Owner/Contact Person Bhole Baba, Inc. / Govind Patel
---	---

Mailing Address 7036 U. S. Highway 67	City Bonne Terre	Zip Code 63628
--	---------------------	-------------------

Physical Address 7036 U. S. Highway 67	City Bonne Terre	Zip Code 63628
---	---------------------	-------------------

County <b>187</b>	This inspection is a(n) <input type="checkbox"/> Initial <input checked="" type="checkbox"/> Follow-up	Complaint	Telephone 573-358-8900	No. of Stories 2	No. of Rooms 40	Rooms Inspected 18,15,11,38,37,29,28,12,74
----------------------	---	-----------	---------------------------	---------------------	--------------------	---

Please check Yes or No next to each item.		Yes	No	Water Supply	Yes	No
Was this lodging facility built after October 31, 2005	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the water supply private	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Is the water supply public	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If built after October 31, 2005, does it have certification to national standards or an occupancy permit.	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Water sample taken	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Do the following local ordinances apply?</b>				<b>Sewage/Wastewater</b>		
Fire safety	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the Sewage/Wastewater private	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Electrical wiring	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the Sewage/Wastewater public	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel burning appliances	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<b>Swimming Pools/Spas</b>		
Plumbing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Indoor pool	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Swimming pools/spas	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Outdoor pool	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Food	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Spa	<input type="checkbox"/>	<input checked="" type="checkbox"/>
				Pool larger than 2000 square feet	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Based on an inspection this day, the items marked "No" below identify noncompliance in operations or facilities which must be corrected by the next routine inspection, or such shorter period of time as may be specified in writing by the regulatory authority. Failure to comply with any time limits for corrections specified in this notice may result in revocation of your lodging license and/or prosecution. Owners may request a hearing before the Department Director upon filing a written request within ten days after receipt of this notice. (RSMo 315.005-065, 19 CSR 20-3.050)

Yes=In Compliance		No=Not in Compliance, explain on additional page(s)				NB=Not Observed				NA=Not Applicable			
SECTION A: WATER SUPPLY		YES	NO	NB	NA	SECTION E: FIRE SAFETY (All Establishments cont.)				YES	NO	NB	NA
1. Approved source, construction & operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Doors and locks permitted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Complies with chemical, bacT & rad standards	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Textiles, hangings and mirrors proper	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Chlorinator maintained & operated properly.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Fire extinguisher type, inspected, location	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>SECTION B: SEWAGE &amp; WASTEWATER</b>						5. Vertical openings protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1. Operating satisfactorily	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Doors, self closing & fire rated	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>SECTION C: SANITATION/HOUSEKEEPING</b>						7. Smoke detectors installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1. Walls, floors & ceilings in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Fire alarm & sprinkler systems tested & approved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Proper housekeeping practices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. Evacuation route and plan, installed, available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Towels & bed linens clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Stairs and ramps maintained, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Mattresses & box springs clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Means of egress, number, maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. No evidence of rodents & insects	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>SECTION F: SWIMMING POOLS/SPAS</b>							
6. Ice machines, scoops, liners, clean & protected	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1. Fence, gate adequate, proper closure mechanism	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7. Garbage & refuse properly maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Boundary line, pool depth properly marked	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8. Premises, plant growth controlled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Lifesaving equipment adequate, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
9. Food sources, sound condition, approved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Pool clarity, pH, disinfectant, temp maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
10. Food protected from contamination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Steps, ladders, deck installed, good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11. Proper facilities to wash, rinse & sanitize	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6. Adequate ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12. Proper hygienic practices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7. Electrical outlets, proper protection & distance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>SECTION D: LIFE SAFETY</b>						8. Records maintained & signs posted	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1. Combustible/toxic items properly used & stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>SECTION G: PLUMBING/MECHANICAL</b>							
2. Building maintained to assure safe conditions	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Equipment adequate, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. CO detectors installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Ventilation adequate, plumbing, restrooms	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. GFCI and proper wiring installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Boilers/pressure vessels MDPS certified	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Exit signs installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. T & P relief valves adequate, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Emergency lighting installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Relief valve discharge pipes installed, adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Electric panel protected, labeled, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Proper air gaps, no cross connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>SECTION E: FIRE SAFETY (New Establishment Only)</b>						<b>SECTION H: HEATING &amp; COOLING</b>							
1. Smoke detectors hardwired & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1. Unvented fuel-burn appliance/space heater approved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Fire alarm system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Fire resistant room or sprinkler head/detector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Sprinkler system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Proper location of heating/cooling units	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>SECTION E: FIRE SAFETY (All Establishments)</b>						4. Ventilation of appliances & utility rooms	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1. Complies with local building codes, fire codes & ordinances	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5. Operation & condition adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						6. Proper safety valve, thermo control, elect. switch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



INSPECTED BY 	John Wiseman	EPHS NUMBER 1507	AGENCY ST. FRANCOIS COUNTY HEALTH CENTER (573) 431 - 1947	TELEPHONE	
LICENSING YEAR 2016-2017	APPROVED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE INSPECTED 6-21-16	SCHEDULED FOLLOW UP	REVIEWED BY	DATE June 29, 2016



Establishment Name: Red Cedar Lodge: Arrival 11:57am, Departure 12:00pm	Physical Address: 17036 U. S. Highway 67	City: Bonne Terre
--	---	----------------------

SECTION REFERENCE	OBSERVATIONS AND ADDITIONAL COMMENTS
-------------------	--------------------------------------

All violations cited on the initial inspection of June 22, 2016 have been corrected.

Inspected by: 	John Wiseman	Date: June 29, 2016
Received by: 	Govind Patel	Date: June 29, 2016