



MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES
BUREAU OF ENVIRONMENTAL REGULATIONS AND LICENSURE
LODGING ESTABLISHMENT INSPECTION REPORT

Establishment Name Red Cedar Lodge	Name of Owner/Contact Person Bhole Baba, Inc./ Govind Patel
---------------------------------------	--

Mailing Address 7036 U. S. Highway 67	City Bonne Terre	Zip Code 63628
--	---------------------	-------------------

Physical Address 7036 U. S. Highway 67	City Bonne Terre	Zip Code 63628
---	---------------------	-------------------

County 187	This inspection is a(n) <input type="checkbox"/> Initial <input checked="" type="checkbox"/> Follow-up	Complaint	Telephone 573-358-8900	No. of Stories 2	No. of Rooms 40	Rooms Inspected 17,18,19,29,27,33,14,73,58
----------------------	---	-----------	---------------------------	---------------------	--------------------	---

Please check Yes or No next to each item.		Yes	No	Water Supply	Yes	No
Was this lodging facility built after October 31, 2005	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the water supply private	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Is the water supply public	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If built after October 31, 2005, does it have certification to national standards or an occupancy permit.	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Water sample taken	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Do the following local ordinances apply?				Sewage/Wastewater		
Fire safety	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the Sewage/Wastewater private	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Electrical wiring	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Is the Sewage/Wastewater public	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel burning appliances	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Swimming Pools/Spas		
Plumbing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Indoor pool	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Swimming pools/spas	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Outdoor pool	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Food	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Spa	<input type="checkbox"/>	<input checked="" type="checkbox"/>
				Pool larger than 2000 square feet	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Based on an inspection this day, the items marked "No" below identify noncompliance in operations or facilities which must be corrected by the next routine inspection, or such shorter period of time as may be specified in writing by the regulatory authority. Failure to comply with any time limits for corrections specified in this notice may result in revocation of your lodging license and/or prosecution. Owners may request a hearing before the Department Director upon filing a written request within ten days after receipt of this notice. (RSMo 315.005-065, 19 CSR 20-3.050)

Yes=In Compliance		No=Not in Compliance, explain on additional page(s)				NB=Not Observed				NA=Not Applicable				
SECTION A: WATER SUPPLY					SECTION E: FIRE SAFETY (All Establishments cont.)									
YES	NO	NB	NA		YES	NO	NB	NA	YES	NO	NB	NA		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Approved source, construction & operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2. Complies with chemical, bacT & rad standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. Chlorinator maintained & operated properly.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
SECTION B: SEWAGE & WASTEWATER					4. Fire extinguisher type, inspected, location									
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Operating satisfactorily	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
SECTION C: SANITATION/HOUSEKEEPING					5. Vertical openings protected									
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Walls, floors & ceilings in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proper housekeeping practices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Towels & bed linens clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Mattresses & box springs clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. No evidence of rodents & insects	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6. Ice machines, scoops, liners, clean & protected	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Garbage & refuse properly maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Premises, plant growth controlled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	9. Food sources, sound condition, approved	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Food protected from contamination	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11. Proper facilities to wash, rinse & sanitize	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12. Proper hygienic practices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
SECTION D: LIFE SAFETY					SECTION F: SWIMMING POOLS/SPAS									
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Combustible/toxic items properly used & stored	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Building maintained to assure safe conditions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. CO detectors installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. GFCI and proper wiring installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Exit signs installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Emergency lighting installed, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Electric panel protected, labeled, good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
SECTION E: FIRE SAFETY (New Establishment Only)					8. Records maintained & signs posted									
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Smoke detectors hardwired & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SECTION G: PLUMBING/MECHANICAL					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2. Fire alarm system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. Sprinkler system installed & maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
SECTION E: FIRE SAFETY (All Establishments)					1. Equipment adequate, good repair									
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Complies with local building codes, fire codes & ordinances	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
INSPECTED BY					2. Ventilation adequate, plumbing, restrooms									
John Wiseman					3. Boilers/pressure vessels MDPS certified									
EPHS NUMBER					4. T & P relief valves adequate, good repair									
1507					5. Relief valve discharge pipes installed, adequate									
AGENCY					6. Proper air gaps, no cross connections									
ST. FRANCOIS COUNTY HEALTH CENTER					6. Operation & condition adequate									
(573) 431 - 1947					6. Proper safety valve, thermo control, elect. switch									
TELEPHONE														

LICENSING YEAR 2017-2018	APPROVED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE INSPECTED 5-5-17	SCHEDULED FOLLOW UP	REVIEWED BY	DATE 5-12-17
-----------------------------	---	--------------------------	---------------------	-------------	-----------------



Establishment Name: Red Cedar Lodge	Physical Address: 7036 U. S. Highway 67	City: Bonne Terre
--	--	----------------------

SECTION REFERENCE	OBSERVATIONS AND ADDITIONAL COMMENTS
-------------------	--------------------------------------

All violations from the initial inspection have been corrected.

Inspected by:

John Wiseman

Date:

5-12-17

Received by:

Govind Patel

Date:

5-12-17