



MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES  
SECTION FOR CHILD CARE REGULATION  
**SANITATION INSPECTION REPORT**  
**LICENSED CENTERS, GROUP HOMES**  
**AND LICENSE-EXEMPT FACILITIES**

Arrival Time <b>10:08 AM</b>	<b>CODES</b> X = Non-Compliance Noted N.O. = Not Observed N.A. = Not Applicable * = Discussed and Agrees to comply with requirements
Departure Time <b>11:24 am</b>	
Date <b>8/8/17</b>	

Initial  Annual  Reinspection  Lead  Special Circumstances \_\_\_\_\_ Page 1 of 3

FACILITY NAME <b>Tendercare Daycare Center</b>	DVN <b>001186005</b>	COUNTY CODE <b>187</b>
ADDRESS (Street, City, State, Zip Code) <b>611 Jefferson Street, Park Hills, MO 63601-4253</b>	INSPECTOR'S NAME (Print) <b>Rose Mier</b>	

An inspection of your facility has been made on the above date. Any non-compliances are marked below.

A. GENERAL		E. FOOD PROTECTION	
1. Clean and free of unsanitary conditions.	X	1. Food from approved source and in sound condition; no excessively dented cans.	
2. No environmental hazards observed.	X	2. No use of home canned food. No unpasteurized milk.	
3. No evidence of insects, spiders, rodents or pest entry points, or pest harborage.		3. Ground beef cooked to 155° F; poultry and pooled eggs to 165° F; pork to 145° F and all other foods cooked to at least 140° F. All hot food kept at 140° F or above.	
4. Well ventilated, no evidence of mold, noxious or harmful odors.		4. Precooked food reheated to 165°.	
5. Screens on windows and doors used for ventilation in good repair.		5. Food requiring refrigeration stored at 41° F or below.	
6. No indication of lead hazards.		6. Refrigerator 41° F or below, accessible readable thermometer required. Foods in freezer frozen solid. <b>Temp at time of inspection</b> _____ <b>40/0</b> ° F.	
7. No toxic or dangerous plants accessible to children.		7. Metal stemmed thermometer reading 0° - 220° F in 2° increments for checking food temperatures. (Also use to check hot water temperature.)	
8. Medicines and other toxic agents not accessible to children. Child contact items stored to prevent contamination by medicines, other toxic agents, cleaning agents and waste water drain lines.		8. Food, food related items, and utensils covered, stored and handled to prevent contamination by individuals, pests, toxic agents, cleaning agents, water drain lines, medicines, dust, splash and other foods. No bare-hand contact of ready-to-eat foods.	X
9. All sinks equipped with mixing faucets or combination faucets with hot and cold running water under pressure.		9. Food, toxic agents, cleaning agents not in their original containers properly labeled.	
10. Hot water temperature at sinks accessible to children - 100° - 120° F. <b>Temp at time of inspection</b> _____ <b>127, 128</b> °F.	X	10. No food or food related items stored or prepared in diapering areas or bathrooms.	
11. Pets free of disease communicable to man.	na	11. Food stored in food grade containers only.	
12. Pets living quarters clean, and well maintained.	na	12. Food thawed under refrigeration, 70° F running water, or microwave (if part of the cooking process).	
13. Reptiles are prohibited on the premises. Birds of the Parrot Family tested for Psittacosis.		13. No animals in food preparation or food storage areas.	
14. Swimming/wading pools filtered, treated, tested and water quality records maintained. Meets local codes.	na	14. No eating, drinking, and/or smoking during food preparation.	
15. A minimum of 18" separation between drinking fountains & hand sinks.		15. Food served and not eaten shall not be re-served to children in care.	
16. No high hazards cross-connections.		16. Refrigerated potentially hazardous foods properly marked with 7-day discard date after opening or preparation.	
B. WATER SUPPLY (circle type)		F. CLEANING AND SANITIZING	
<input checked="" type="checkbox"/> COMMUNITY <input type="checkbox"/> NON-COMMUNITY <input type="checkbox"/> PRIVATE <b>PRIVATE SYSTEMS ONLY</b>		1. All items requiring sanitizing shall be washed, rinsed and sanitized with approved agents, methods, and concentrations.	
1. Constructed to prevent contamination.		2. All utensils and toys air dried.	
2. Meets DHSS-SCCR water quality requirements. A. Bacteriological sample results. B. Chemical (Prior SCCR Approval Needed)		3. The following items washed, rinsed and sanitized after each use: A. Food utensils	
C. SEWAGE (circle type)		B. Food contact surfaces including eating surfaces, high chairs, etc.	
<input checked="" type="checkbox"/> COMMUNITY <input type="checkbox"/> ON-SITE <b>ON-SITE SYSTEMS ONLY</b>		C. Potty chairs and adapter seats.	
1. DNR Regulated System: Type: _____		D. Diapering surface	
2. DHSS Regulated System: Type: _____ Meets DHSS-SCCR requirements.		E. All toys that have had contact with body fluids.	
3. Meets local requirements.		4. The following items are washed, rinsed and sanitized at least daily: A. Toilets, urinals, hand sinks.	
D. HYGIENE		B. Non-absorbent floors in infant/toddler spaces.	
1. Care givers and children wash hands using soap, warm running water and sanitary hand drying methods.		C. Infant/Toddler toys used during the day.	
2. Care givers and children wash hands BEFORE: preparing, serving, and eating food; glove use. AFTER: toileting, diapering, assisting with toileting, nose blowing, handling raw food, glove use, cleaning and sanitizing, outdoor play, handling animals, eating, smoking, and as necessary.		5. Walls, ceilings, and floors clean and in good repair. Cleaned and sanitized when contacted by body fluids.	
3. Personnel preparing/serving food is free of infection or illness.		6. Appropriate test strips available and used to check proper concentration of sanitizing agents.	
		7. Soiled laundry stored and handled in a manner which does not contaminate food, food related items and child contact items.	

FACILITY NAME <b>Tendercare Daycare Center</b>	DVN 001186005	DATE 8/8/17
---	------------------	----------------

G. FOOD EQUIPMENT AND UTENSILS	I. BATHROOMS	
1. Single service items not reused. <span style="float:right">X</span>	1. Cleaned as needed or at least daily.	
2. All food equipment and utensils in good repair.	2. Paper towels stored and dispensed in a manner that minimizes contamination. All equipment in good repair.	
3. Food preparation and storage areas have adequate lighting.	3. Facilities approved <b>AFTER</b> October 31, 1991 have: Enclosed with full walls and solid doors. Doors closed when not in use.	
4. Kitchen equipment that produces excessive grease laden vapors, moisture or heat is properly vented.	4. Facilities approved <b>AFTER</b> October 31, 1998 have: Mechanically vented to prevent molds and odors.	
5. Facilities shall have mechanical refrigeration for facility use only. <b>Exception: License-Exempt facilities approved BEFORE October 31, 1997</b>	5. Hand washing sinks located in or immediately adjacent to the bathroom.	
6. No carpeting or absorbent floor coverings in food preparation area.	6. No carpeting or absorbent floor coverings.	
7. Adequate preparation and storage equipment for hot foods.	7. Sufficient lighting for cleaning.	
8. Facilities with a capacity of 20 children or less shall have:	8. No storage of toothbrushes or mouthable toys.	
A. Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in conjunction with the mechanical dishwasher; or a 3 compartment sink or a 2 compartment sink with a third portable compartment for the final sanitizing step.	<b>J. INFANT / TODDLER UNITS</b>	
B. If a mechanical dishwasher is used, a minimum of two sinks located in food preparation area labeled as: 1) Hand washing only 2) Food preparation only.	1. If food preparation occurs, shall have a sink for food preparation separate from the diapering hand washing sink.	
9. Facilities with a capacity of more than 20 children approved <b>BEFORE</b> October 31, 1991, shall have:	2. Utensils used in the I/T Unit washed, rinsed and sanitized after each use with proper methods and equipment.	
A. Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in conjunction with the mechanical dishwasher; or use a 3 compartment sink.	<b>K. DIAPERING AREA</b>	
B. If a mechanical dishwasher is used, a minimum of two sinks located in food preparation area labeled as: 1) Hand washing only 2) Food preparation only.	1. No utensils or toys washed, rinsed or stored in the diaper changing area.	
10. Facilities with a capacity of more than 20 children approved <b>AFTER</b> October 31, 1991 shall have:	2. Hand sink with warm running water located in the diapering area immediately accessible to the diapering surface.	
A. Facility located in provider's residence shall have separate food preparation and storage areas.	3. Diapering surface smooth, easily, cleanable, nonabsorbent, and in good repair.	
B. A commercial dishwasher or a 3 compartment sink in addition to a separate hand washing sink.	4. Soiled diapers stored in a solid, nonabsorbent container with tight fitting lid located in diapering area.	
C. If a commercial dishwasher is used, a sink located in food preparation area labeled as food preparation.	5. Soiled diaper container emptied, washed, rinsed and sanitized daily.	
	<b>L. REFUSE DISPOSAL</b>	
	1. Adequate number of containers.	
	2. Clean, nonabsorbent, in sound condition.	
	3. Outside refuse area clean; containers covered at all times.	
	4. Inside food refuse containers covered as required.	
	5. Restrooms used by staff have covered refuse containers.	

H. CATERED FOODS	SECTION # OBSERVATIONS
1. Catered food from inspected and approved source.	NOTE: There was no food preparation occurring during this visit.  NOTE: REINSPECTION is scheduled for 8/9/17 to ensure hot water temperature is below 120F. See violation A10 concerning hot water.
2. Safe food temperature maintained during transport. Temperature at arrival _____ °F.	
3. Facility using catered food exclusively shall have a hand washing sink in kitchen/food service area.	
4. Facility not using single service utensils exclusively meets applicable dishwashing requirements as stated in Section G(B), or G(9), or G(10).	
5. Food and food related items protected from contamination during transport.	
NOTE: pizza is delivered from local restaurant for special occasions. Please ensure food has internal temperature of at least 135F when delivered.	

The above facility has been inspected and <input type="checkbox"/> does <input checked="" type="checkbox"/> does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services -Section for Child Care Regulation		The inspector has discussed the issues marked by an asterisk (*) and/or marked by an (X) on this form. I agree to comply with these requirements.	
SIGNATURE OF INSPECTOR <i>Rose Mier</i>	TELEPHONE 573/431-1947	DATE 8/8/17	SIGNATURE OF CHILD CARE PROVIDER <i>MicHELLE Manion</i>
			DATE 8/8/17

**Sanitation Inspection Report**

FACILITY NAME:

Tendercare Daycare Center

DVN:

001186005

DATE

8/8/17

**SECTION #****OBSERVATIONS**

E8 - Raw ground turkey was stored touching containers of frozen juice in the Frigidaire freezer; raw pork sausage was stored touching ground turkey. Food shall be stored to prevent cross contamination from other foods.

CORRECTED ON SITE by rearranging food to prevent cross contamination.

E8 - One container of potassium pills, and a container of flu medicine, were stored in a kitchen cabinet with clean equipment. Medicines may be stored in a cabinet with food and equipment, but shall be in a leak-proof container with a tight-fitting lid.

CORRECTED ON SITE by moving medicines to facility office, out of reach of children.

A1 - Dust was observed on the ceiling in the kitchen. Facility shall be clean, and food protected from contamination.

CORRECTED ON SITE by cleaning

A1 - Food debris observed inside the microwave. Food contact surfaces shall be clean to sight and touch.

CORRECTED ON SITE by cleaning

G1 - Single-use cups were stored in children's cubbies for reuse. Single use items shall not be re-used.

CORRECTED ON SITE by disposing of single-use cups.

A10 - The hot water temperature at the handwashing sink in the rear entry was 127F, and 128F in the school age room. Water shall be between 100F and 120F. NOTE: The water heater is sealed behind a wall built around it and the thermostat could not be adjusted during this visit. Owner will contact someone to remove the wall and adjust thermostat, then monitor water temperature. If the temperature cannot be regulated between 100 and 120F, then repair or replacement may be needed.

A1 - Ceiling tile was stained in the bathroom in the back entry. Facility shall be free of unsanitary conditions.

A2 - One piece of playground equipment contains CCA treated lumber. The lumber has not been sealed within the past year. CCA treated lumber shall be sealed yearly.

The above facility has been **inspected** and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services Section for Child Care Regulation.

The inspector has discussed the issues marked by an asterisk (\*) and/or marked by an (X) on this form. I agree to comply with these requirements.

SIGNATURE OF INSPECTOR

TELEPHONE

DATE

*Rose Mier*

573/431-1947

8/8/17

SIGNATURE OF CHILD CARE PROVIDER

DATE

*Michelle Marium*

8/8/17