



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL HEALTH SERVICES
FOOD ESTABLISHMENT INSPECTION REPORT

ESTABLISHMENT NAME Bismarck R-V School Cafeteria		ADDRESS 165 Campus Drive		CITY /ZIP Bismarck 63624	
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/ LOCATION		TEMP. in ° F
Heated cabinet, ambient (empty)		182	Student milk cooler #1: ambient, milk		41, 41
Pulled pork, reheated in oven		165 to 172	Student milk cooler #2: ambient, milk		41, 40
Walk-in freezer (small), ambient		10	Walk-in cooler: ambient, salad, ham		38, 40, 41
Walk in freezer (large), ambient		12			

Code Reference	PRIORITY ITEMS Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	Correct by (date)	Initial
4-601.11A	Debris observed on two pots stored on the shelf below the work table. Food contact surfaces shall be clean to sight and touch. CORRECTED ON SITE by cleaning and sanitizing in warewasher.	COS	
4-601.11A	Food debris observed in some of the food insert pans on the hot bar, and on the bar below the lips of the inserts. Please clean and sanitize inserts and entire food bar after use, and before use if needed. CORRECTED ON SITE by cleaning food bar and inserts.	COS	

Code Reference	CORE ITEMS Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general maintenance or sanitation standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as stated.	Correct by (date)	Initial
4-901.11A	Metal pans, stored on shelf above the Imperial ovens, were wet nested. Equipment and utensils shall be air dried after cleaning. Please reclean these pans and allow complete air drying before storing nested. CORRECTED ON SITE by cleaning and air drying.	COS	
6-501.14A	Debris observed on the two portable fans in the warewashing area. Clean equipment shall be protected from contamination. Please clean all surfaces of fans as often as needed to prevent contamination from blowing debris.		
6-501.12A	Accumulation of debris observed on the base around the water heater and on the top of the heater. Physical facilities shall be cleaned at a frequency to prevent debris accumulation. Please clean area around the heater and the water heater as often as needed to keep clean.		

EDUCATION PROVIDED OR COMMENTS

MENU: Pulled pork, French fries, pears, vegetarian beans

Person in Charge /Title: <i>Jo Jackson</i> Jo Jackson, Dietary Supervisor		Date: January 11, 2018	
Inspector: <i>Rose Mier</i> Rose Mier	Telephone No. (573)431-1947	EPHS No. 1390	Follow-up: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Follow-up Date: