





MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL HEALTH SERVICES  
**FOOD ESTABLISHMENT INSPECTION REPORT**

ESTABLISHMENT NAME Bismarck R-V School Cafeteria		ADDRESS 165 Campus Drive		CITY /ZIP Bismarck, 63624	
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/ LOCATION		TEMP. in ° F
Extravaganza eggs		170			
Milk from coolers		39, 39			
Walk-in cooler		38			
Walk-in freezer #1		0			
Walk-in freezer #2		10			

Code Reference	PRIORITY ITEMS Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury. <b>These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.</b>	Correct by (date)	Initial
----------------	--	-------------------	---------

4-501.114 A	Two spray bottles of bleach sanitizer in use in the kitchen did not have a detectable concentration of chlorine in the solution. Chlorine sanitizers shall be in the range of 50 - 100 ppm. COS by remaking the sanitizer solutions.	COS	
3-501.17A	Discard dates were no observed on two open bags of lettuce in the walk-in cooler. Potentially hazardous foods held refrigerated shall be marked with the day or date, not to exceed seven days total, by which time the food shall be sold, consumed or discarded. COS by marking with the discard date.	COS	CR

Code Reference	CORE ITEMS Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general maintenance or sanitation standard operating procedures (SSOPs). <b>These items are to be corrected by the next regular inspection or as stated.</b>	Correct by (date)	Initial
----------------	---	-------------------	---------

6-501.19	Upon arrival, the restroom door was observed to be propped open. Except for times of cleaning and maintenance, toilet room doors shall be kept closed. COS by closing the door.	COS	
6-301.12	Paper towels were not available in the hand wash sink. All hand wash sinks shall be provided with a sanitary means of hand drying. COS by providing paper towels.	COS	CR
3-304.12A	The handle of the ice scoop in the ice machine was in contact with the ice. Food dispensing utensils shall be positioned with their handles above the surface of the food. COS by placing the scoop in the holder.	COS	
6-501.12A	An accumulation of dust was observed on the drying fan in the ware washing area. Physical facilities shall be cleaned as often as necessary to keep them clean. Please clean the fan.	next routine	↓
6-501.12A	Debris was observed on the floor below the dishwasher and tables in the ware washing room. Physical facilities shall be cleaned as often as necessary to keep them clean. Please clean the floor below equipment in the ware washing room.		
6-501.11	Floor tile are damaged or missing below equipment in the ware washing room. Physical facilities shall be maintained in good repair. Please replace damaged and missing floor tiles.		
NOTE: The facility hot water sanitizing dish washer was determined to be operating at adequate sanitation temperatures. The thermal label used to test the dish washer will be attached to the Health Center copy of the inspection report.			

EDUCATION PROVIDED OR COMMENTS

*Carla Roberts*  
 Person in Charge /Title: Carla Roberts Date: October 6, 2017

Inspector: *John Wiseman* John Wiseman Telephone No. (573)431-1947 EPHS No. 1507 Follow-up:  Yes  No Follow-up Date: