



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL HEALTH SERVICES
FOOD ESTABLISHMENT INSPECTION REPORT

ESTABLISHMENT NAME Dollar General	ADDRESS 5 North Wood Street	CITY / ZIP Bonne Terre 63628
--------------------------------------	--------------------------------	---------------------------------

FOOD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LOCATION	TEMP. in ° F
No tempertaures were taken during this visit.			

Code Reference	PRIORITY ITEMS	Correct by (date)	Initial
----------------	----------------	-------------------	---------

Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury. **These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.**

	All priority violations noted on the July 11, 2017 routine inspection have been corrected.		
--	--	--	--

Code Reference	CORE ITEMS	Correct by (date)	Initial
----------------	------------	-------------------	---------

Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general maintenance or sanitation standard operating procedures (SSOPs). **These items are to be corrected by the next regular inspection or as stated.**

6-202.11A	Daylight was observed between the front entry doors. Outside entries shall be sealed to prevent pest entry. Please seal door.	8/10/17	HL
4-501.11A	The handle was missing on one door on the wall freezer holding TV dinners. Equipment shall be maintained in good repair. Please replace handle.	8/10/17	HL
6-202.14	The door to the bathroom was not fully self-closing. Bathroom doors shall be self-closing. Please adjust or replace self-closing device to make the door fully self-closing.	8/10/17	HL
6-202.11A	Daylight was observed under and around the outside entry door into the warehouse. Please seal to reduce pest entry points.	8/10/17	HL

EDUCATION PROVIDED OR COMMENTS			

Person in Charge /Title: <i>Heather R Lewis</i>	Heather Lewis, Keyholder	Date: July 31, 2017
Inspector: <i>Rose Mier</i>	Rose Mier	Telephone No. (573)431-1947
	EPHS No. 1390	Follow-up: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		Follow-up Date: