



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL HEALTH SERVICES
FOOD ESTABLISHMENT INSPECTION REPORT

ESTABLISHMENT NAME Farmington R7 Jefferson School Cafeteria		ADDRESS 9 Summit Drive		CITY /ZIP Farmington 63640	
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/ LOCATION		TEMP. in ° F
Ambient, freezer under serving line		11	Sausage Pancake on a stick , reheat for hot holding		195
Ambient, cooler under serving line		38	Student milk cooler: ambient, milk		39, 39
Ambient, heated cabinet		192	4-door True cooler: ambient, bologna		34, 36
Ground beef, in cooking kettle		110	Walk-in cooler: ambient, cut lettuce, milk		36, 37, 37
Ambient, walk-in freezer		2			

Code Reference	PRIORITY ITEMS Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	Correct by (date)	Initial
4-601.11A	Black mold observed on pipes and side on the inside of the ice maker (look on left side). Food contact surfaces shall be clean to sight and touch. Please dispose of ice, wash, rinse, sanitize, and air dry ice maker before returning to service.	10/11/17	mt
4-202.11A	One plastic ice scoop, stored above the drain board in the warewashing area, was cracked. Food contact surfaces shall be free of cracks and other imperfections. Please discard scoop. CORRECTED ON SITE by discard.	COS	mt

Code Reference	CORE ITEMS Core items relate to general sanitation, operational controls, facilities or structures, equipment design, general maintenance or sanitation standard operating procedures (SSOPs). These items are to be corrected by the next regular inspection or as stated.	Correct by (date)	Initial
6-501.12A	Accumulation of debris observed behind the ice maker. Physical facilities shall be cleaned at a frequency to prevent debris accumulation. Please clean behind and under the ice maker as often as needed to keep clean.	10/17/17	mt
6-501.12A	Lime build-up and an orange observed under the mechanical warewashing machine. Please clean under the machine as often as needed to prevent build-up. Ensure there are no leaks that is causing the lime build-up, and that the water softener is functioning correctly. NOTE: the orange was discarded.	10/17/17	mt
6-501.14A	Accumulation of dust observed on the portable floor fan in the warewashing area. Ventilation systems shall not be a source of contamination. Please clean all surfaces of fan as often as needed to keep clean. CORRECTED ON SITE by cleaning	COS	mt

EDUCATION PROVIDED OR COMMENTS

MENU: Sausage pancake on stick, cereal, oranges, juice, milk

Person in Charge /Title: <i>Michelle Thomure</i> Michelle Thomure		Date: October 10, 2017	
Inspector: <i>Rose Mier</i> Rose Mier	Telephone No. (573)431-1947	EPHS No. 1390	Follow-up: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Follow-up Date: Oct. 17, 2017