

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 11:15	TIME OUT 12:45
DATE 01-01-22	PAGE 1 of 2

NEXT ROUTINE IN	NSPEC	TION THIS DAY, THE ITEMS NO CTION, OR SUCH SHORTER PI FOR CORRECTIONS SPECIFI	RIOD OF TIME AS	MAY BE SPE	CIFIED	IN WE	RITING BY	THE REGULA	TORY AUTHORITY	ST BE CORRECT. FAILURE TO	COMPL'	Y
ESTABLISHME Starbucks Coffe	ENT N ee #57	IAME: 7214	OWNER: Starbucks Co				6501u5/_63		PERSON IN CH Katelynn	IARGE:		
ADDRESS 901	1 Valle	ey Creek Drive					SHMENT	NUMBER:	COUNTY: 187			
CITY/ZIP: Farm	ningto	n, 63640	PHONE: 573-890-1414		FAX	۲: na			P,H, PRIORITY	: Пн	м]_
BAKERY RESTAURA		C. STORE CATER		ELI IMMER F.P.		GROC TAVEF	CERY STOR		STITUTION MP,FOOD	MOBILE VI	ENDOR	S
PURPOSE Pre-opening	3	☐ Routine ☐ Follow-up	☐ Complaint	Other_								
FROZEN DESS		pproved Not Applicable	SEWAGE DISPO		TER S			NON-COM		■ PRIVATE		
License N	lo		□ PRIV					Date Sam	pled	Results_		_
Pick footogo oro f	food n	tere el Kerne de priv		CTORS AND								
toodborne illness o	outbre	reparation practices and employ aks. Public health intervention	ee behaviors most co s are control measur	mmonly reportes to prevent	ted to t foodbo	the Ce rne illn	nters for Dis ess or injur	sease Control	and Prevention as c	ontributing facto	rs in	
Compliance		Demonstration of K			₹ C(omplian	ce		otentially Hazardous		COS	S R
TUO		Person in charge present, dem- and performs duties				Anna Contra	N/A	Proper cook	king, time and tempe	erature		
IN OUT	-	Employee He Management awareness; policy		U	IN	DUT	N/O N/A		eating procedures fo			
TUO OUT		Proper use of reporting, restrict	on and exclusion		IN	OUT	N/O N/A	Proper cool	ing time and temperatures			
NO DUT NO		Good Hygienic P Proper eating, tasting, drinking			TM	OUT	N/A N/C N/A	Proper cold	holding temperature marking and dispos			
NO TUO NO		No discharge from eyes, nose a				Action and	N/O N/A	Time as a p	ublic health control (+	-
		Preventing Contaminal	ion by Hands		1	Poi	WO, INIX	records)	Consumer Adviso	orv.		-
OUT N/O		Hands clean and properly wash			IN	OUT	WA		dvisory provided for			7
OUT N/O		No bare hand contact with read		1 1			112	undercooke Hig	hly Susceptible Pop	ulations	0	
JW OUT	1	approved alternate method programmed Adequate handwashing facilities			IN	DUT	N/O N/A		foods used, prohibit	ted foods not		
		accessible Approved Sor	irce		15.5	501	140	offered	Chemical	10H 35 X 6 S		-
W OUT		Food obtained from approved s			-	OUT	N/A		es: approved and p			
IN OUT NC	N/A	Food received at proper temper	ature		TA	OUT		l oxic substa used	ances properly identi	ified, stored and		
TA TOUT	-	Food in good condition, safe an Required records available: she							nance with Approved		8	
IN DUT N/O	MA	destruction			IN	OUT	NA	and HACCP	with approved Spec plan	cialized Process		
TUC N		Protection from Con Food separated and protected	amination	6	The	letter	to the left o	f acab itam in	dicates that item's st	atua at the time	-5.46-	
The second secon	14//5	Food-contact surfaces cleaned	& sanitized			pection					orthe	
IN OUT NO	-	Proper disposition of returned, p			1	N/A	= in complia \ = not appl	icable	OUT = not in compl N/O = not observed			
		reconditioned, and unsafe food	G	OOD RETAIL	DBAC		S=Correcte	d On Site	R=Repeat Item			_
	G	Good Retail Practices are preven					hogens, ch	emicals, and p	physical objects into	foods.		
IN OUT	100	Safe Food and Water rized eggs used where required		COS R	IN	OUT		Prope	er Use of Utensils		cos	R
		and ice from approved source			-			tensils: proper , equipment ar	nd linens: properly s	tored, dried,		
	3400	Food Temperature Con	rol		\vdash	17	handled		ice articles; properly	etored used		_
		te equipment for temperature co			1			ised properly				
-		ed thawing methods used meters provided and accurate			-		Food an		quipment and Vendi ntact surfaces cleans			
		Food Identification			1		designe	d, constructed	, and used			
✓ Fo	and ar				V		strips us	ed	: installed, maintaine	ed, used; test		
	oou pr	operly labeled; original containe Prevention of Food Contam			1	1	Nontood	-contact surfa Ph	ces clean ysical Facilities			-
		rodents, and animals not presentation prevented during food pr			1			cold water ava	ailable; adequate pre			
ar	nd disp	olay				1			pper backflow device			
fin	ngerna	al cleanliness: clean outer clothir iils and jewelry			1		Sewage	and wastewal	er properly disposed	1		
		cloths: properly used and stored nd vegetables washed before us				1			y constructed, suppl ly disposed; facilitie			_
Person in Charge						V	Physical	facilities insta	lled, maintained, and	d clean		
r erson in Charge	/11(1			Katelyn	1			Date	01-01-2022			
Inspector:	K	10	Kaleb Erwin	1.	lephor			No. Follo		Yes	■ No	0
MO 580-1814 (9-13)		//	DISTRIBUTION: WHITE			- 12	CANARY - FII		up Duto.			



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

PAGE 2 of 2

Starbucks C	offee #57214	ADDRESS 901 Valley Creek Drive		CITY/ZIP Farmington, 63640		
FC	OOD PRODUCT/LOCATION	TEMP, in ° F	OCATION	TEMP. in ° F		
Delfield o	coolers at service #1,2,3,4,5,6,7	40,38,39,36,40	True Cooler Reach	in #1,2,3	41,38	,38
		37,35				
	Reach in cooler	37				
Code		PRIORITY	TEMS		0	U 1 . m 1
Reference	Priority items contribute directly to the eli- or injury. These items MUST RECEIVE	mination, prevention or reduction	n to an acceptable level, hazards as:	sociated with foodborne illness	Correct by (date)	Initial
	There were no priority violations	observed.				
Code Reference	Core items relate to general sanitation, opstandard operating procedures (SSOPs).	CORE ITE perational controls, facilities or st These items are to be correct	tructures, equipment design, general	maintenance or sanitation	Correct by (date)	Initial
Reference	Core items relate to general sanitation, opstandard operating procedures (SSOPs). The outside trash receptacles we receptacles. Outside trash recep	perational controls, facilities or si These items are to be correct ere observed with open li	tructures, equipment design, general ted by the next regular inspection ds and a accumulation of tra	or as stated.		Initial
Reference	The outside trash receptacles we	perational controls, facilities or so These items are to be correct ere observed with open li- ptacles shall have a tight to the observed with a accum	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of trafitting lid to keep out pest.	or as stated. ash behind the		Initial
Reference 5-501.113B	The outside trash receptacles we receptacles. Outside trash receptacles. Blenders in the service area were	perational controls, facilities or so These items are to be correct ere observed with open li- ptacles shall have a tight to the observed with a accum- tice cleaned as often as ne- tived stored on the floor in	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of trafitting lid to keep out pest. Insulation of debris on the mixed ecessary. The back of the kitchen and	or as stated. sh behind the r part of the equipment.		Initial
5-501.113B 4-601.11C	The outside trash receptacles we receptacles. Outside trash receptacles. Blenders in the service area were Nonfood contact surfaces shall be Single service items were observed.	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight for the cobserved with a accumple cleaned as often as new decleaned on the floor in shall be stored six inches the service area with a action of the service area with a significant control of the service area.	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Juliation of debris on the mixed ecessary. The back of the kitchen and is off the floor.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Inear the employee stated that		Initial
5-501.113B 4-601.11C 4-903.11A	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles in the service area were Nonfood contact surfaces shall be Single service items were observed bathrooms. Single service items A spoon was observed stored in	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new decleaned as often as new the stored on the floor in shall be stored six inches the service area with a according to the complete maker. Utensils so observed leaking with a factor of the service area with a six coffee maker.	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Inulation of debris on the mixed ecessary. Ithe back of the kitchen and is off the floor. Inccumulation of water on it. A shall be stored to prevent contowel wrapped around it. All	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination.		Initial
5-501.113B 4-601.11C 4-903.11A	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles area were nonfood contact surfaces shall be single service items were observed atthrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was a faucet in the service area was a faucet in the service area.	perational controls, facilities or single items are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new cleaned as often as new cleaned on the floor in shall be stored six inches the service area with a accordance maker. Utensils so observed leaking with a fair in accordance with Miscord discarded single serviced discarded single serviced the service area with a sir in accordance with Miscord discarded single serviced discarded single serviced the serviced leaking with a sir in accordance with Miscord discarded single serviced the serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with a sir in accordance with sir in a	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Inulation of debris on the mixed ecessary. Inulation of the kitchen and its off the floor. Inccumulation of water on it. A shall be stored to prevent contowel wrapped around it. All its ouri law.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination. Incomplete plumbing systems in the		Initial
Reference 5-501.113B 4-601.11C 4-903.11A 4-903.11A 5-205.15	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles were receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles were observed surfaces shall be service items were observed bathrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was shall be maintained in good repatacles. A accumulation of food debris an service area. Physical facility shall be maintained in good facility shall be mai	perational controls, facilities or single items are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new cleaned as often as new cleaned on the floor in shall be stored six inches the service area with a accordance maker. Utensils so observed leaking with a fair in accordance with Miscord discarded single serviced discarded single serviced the service area with a sir in accordance with Miscord discarded single serviced discarded single serviced the serviced leaking with a sir in accordance with Miscord discarded single serviced the serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with Miscord discarded single serviced leaking with a sir in accordance with a sir in accordance with sir in a	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Inulation of debris on the mixed ecessary. Inulation of the kitchen and its off the floor. Inccumulation of water on it. A shall be stored to prevent contowel wrapped around it. All its ouri law.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination. Incomplete plumbing systems in the		Initial
Reference 5-501.113B 4-601.11C 4-903.11A 4-903.11A 5-205.15	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles were receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles were observed surfaces shall be service items were observed bathrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was shall be maintained in good repatacles. A accumulation of food debris an service area. Physical facility shall be maintained in good facility shall be mai	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new the stored on the floor in shall be stored six inches the service area with a accorded maker. Utensils so the cobserved leaking with a the control of the complete the service area with a conference of the service area with a six coffee maker. Utensils so the conference with Missing didiscarded single services and discarded single services and discarded as often as the conference of the complete the complete the conference of the conf	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Inulation of debris on the mixed ecessary. Inulation of the kitchen and its off the floor. Inccumulation of water on it. A shall be stored to prevent contowel wrapped around it. All its ouri law.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination. Incomplete plumbing systems in the		Initial
5-501.113B 4-601.11C 4-903.11A 4-903.11A 5-205.15	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles were receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles were observed surfaces shall be service items were observed bathrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was shall be maintained in good repatacles. A accumulation of food debris an service area. Physical facility shall be maintained in good facility shall be mai	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new the stored on the floor in shall be stored six inches the service area with a accorded maker. Utensils so the cobserved leaking with a the control of the complete the service area with a conference of the service area with a six coffee maker. Utensils so the conference with Missing didiscarded single services and discarded single services and discarded as often as the conference of the complete the complete the conference of the conf	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. The back of the kitchen and is off the floor. The cumulation of water on it. A shall be stored to prevent control towel wrapped around it. All issouri law. The cessary during periods of the stores of the stored to prevent control towel wrapped around it.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination. Incomplete plumbing systems in the		Initial
Reference 5-501.113B 4-601.11C 4-903.11A 4-903.11A 5-205.15 6-501.12	The outside trash receptacles we receptacles. Outside trash receptacles. Outside trash receptacles were receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles. Outside trash receptacles were observed surfaces shall be service items were observed bathrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was shall be maintained in good repatacles. A accumulation of food debris an service area. Physical facility shall be maintained in good facility shall be mai	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new the stored on the floor in shall be stored six inches the service area with a accorded maker. Utensils so the cobserved leaking with a the control of the complete the service area with a conference of the service area with a six coffee maker. Utensils so the conference with Missing didiscarded single services and discarded single services and discarded as often as the conference of the complete the complete the conference of the conf	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. Inulation of debris on the mixed ecessary. Ithe back of the kitchen and its off the floor. Inccumulation of water on it. Ashall be stored to prevent contowel wrapped around it. All issouri law. Ithe terms were observed under the secessary during periods of the prevent contowel wrapped around it.	or as stated. Ish behind the Ish part of the equipment. Inear the entrance of the Ish employee stated that intamination. Inplumbing systemss Is equipment in the of minimal food		Initial
Reference 5-501.113B 1-601.11C 1-903.11A 1-903.11A 1-205.15 1-501.12	The outside trash receptacles we receptacles. Outside trash receptacles in the service items were observed bathrooms. Single service items. A spoon was observed stored in the water may have came from a A faucet in the service area was shall be maintained in good repatacles. Physical facility shall exposure.	perational controls, facilities or single terms are to be corrected on the control of tacles shall have a tight of the cobserved with a accumple cleaned as often as new the stored on the floor in shall be stored six inches the service area with a accorded maker. Utensils so the cobserved leaking with a the control of the complete the service area with a conference of the service area with a six coffee maker. Utensils so the conference with Missing didiscarded single services and discarded single services and discarded as often as the conference of the complete the complete the conference of the conf	tructures, equipment design, general ted by the next regular inspection ids and a accumulation of traffitting lid to keep out pest. The back of the kitchen and is off the floor. The cumulation of water on it. A shall be stored to prevent control towel wrapped around it. All issouri law. The cessary during periods of the stores of the stored to prevent control towel wrapped around it.	or as stated. Ish behind the part of the equipment. In ear the entrance of the employee stated that intamination. In equipment in the of minimal food Date: 01-01-2022		Initial