

MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES SECTION FOR CHILD CARE REGULATION

## SANITATION INSPECTION REPORT LICENSED CENTERS, GROUP HOMES AND LICENSE-EXEMPT FACILITIES

Arrival Time	( ) C
9:50	p.m. X
Departure Time	a.m. N
DATE August 30	2022

ODES

( = Non-Compliances Noted

N.O. = Not Observed

N.A. = Not Applicable

= Discussed requirements

with provider

☐ In	itial 🖾 Annual 🗀 Reinspection 🗀 Lead 🗀 Special Circum	nstance	S					
FACILITY	ACILITY NAME				DVN	COUNTY CODE		
K	adz World Day Care and Preschool LL	C			002500412 INSPECTOR'S NAME (Print)	187	187	
ADDRES	SS (Street, City, State, Zip Code)				INSPECTOR'S NAME (Print)			
40	ospection of your facility has been made on the above date. Any non	640			Nicholas Jogger	5+		
		-compl			an X.			
A. (	GENERAL		E. F	FOOD PROTECTION				
1.	Clean and free of unsanitary conditions.	X			and in sound condition; no excessively	dented cans.		
2.	No environmental hazards observed.	X	2.	No use of home canned food	No unpasteurized milk.			
3.	No evidence of insects, spiders, rodents or pest entry points, or pest harborage.		3.	Ground beef cooked to 155° and all other foods cooked to	F; poultry and pooled eggs to 165° F; p at least 140° F. All hot food kept at 140	ork to 145° F or above.		
4.	Well ventilated, no evidence of mold, noxious or harmful odors.		4.	Precooked food reheated to	165°.			
5.	Screens on windows and doors used for ventilation in good repair.		5.	Food requiring refrigeration s	stored at 41° F or below.			
6.	No indication of lead hazards.		6.	Refrigerator 41° F or below, a	accessible readable thermometer requir	ed. Foods in		
7.	No toxic or dangerous plants accessible to children.			freezer frozen solid.	29			
8.	Medicines and other toxic agents not accessible to children. Child contact items stored to prevent contamination by medicines, other toxic agents, cleaning agents and waste water drain lines.		7.	Temp at time of Inspection  Metal stemmed thermometer temperatures. (Also use to che	reading 0° - 220° F in 2° increments for	checking food		
	All sinks equipped with mixing faucets or combination faucets with hot and cold running water under pressure.		8.	contamination by individuals,	nd utensils covered, stored and handle pests, toxic agents, cleaning agents, wat	er drain lines,		
10.	Hot water temperature at sinks accessible to children - 100° - 120° F. Temp at time of Inspection ° F.		9.	Food, toxic agents, cleaning	her foods. No bare-hand contact of ready- g agents not in their original contain			
1000000	Pets free of disease communicable to man.			labeled.				
12.	Pets living quarters clean, and well maintained.				stored or prepared in diapering areas or ba	athrooms.		
13.	Reptiles are prohibited on the premises. Birds of the Parrot Family tested for Psittacosis.			Food stored in food grade co	ontainers only. tion, 70° F running water, or microwave	(if part of the		
14.	Swimming/wading pools filtered, treated, tested and water quality records maintained. Meets local codes.			cooking process).		(v. p.s.v. s. v. s.		
45	STATE OF THE CONTROL			No animals in food preparation				
	A minimum of 18" separation between drinking fountains & hand sinks.		-		moking during food preparation.			
	No high hazards cross-connections.				shall not be re-served to children in care			
	WATER SUPPLY (circle type) MMUNITY NON-COMMUNITY PR	(ATE)	16.	Refrigerated potentially hazardous foods properly marked with 7-day discard date				
COI	PRIVATE SYSTEMS ONLY	AIE	F 6	after opening or preparation.  CLEANING AND SANIT	IZING		and the same	
1	Constructed to prevent contamination.	'				30		
2.	Meets DHSS-SCCR water quality requirements.			agents, methods, and concer		vitn approved	X	
	Bacteriological sample results.			All utensils and toys air dried				
	Chemical (Prior SCCR Approval Needed)		3.		d, rinsed and sanitized after each us	e:		
C. 8	SEWAGE (circle type)			A. Food utensils				
	COMMUNITY ON-SITE			B. Food contact surfaces inc	luding eating surfaces, high chairs, etc.			
	ON-SITE SYSTEMS ONLY			C. Potty chairs and adapter s	seats.			
1.	DNR Regulated System:			D. Diapering surface				
	Туре:			E. All toys that have had con				
2.	DHSS Regulated System:		4.		shed, rinsed and sanitized at least d	aily:		
	Type: Meets DHSS-SCCR requirements.			A. Toilets, urinals, hand sinks				
				B. Non-absorbent floors in in				
	Meets local requirements.			C. Infant/Toddler toys used d				
	HYGIENE  Care givers and children wash hands using soap, warm running water and sanitary		5.	Walls, ceilings, and floors cle contacted by body fluids.	ean and in good repair. Cleaned and sa	anitized when		
2.	hand drying methods.  Care givers and children wash hands BEFORE: preparing, serving, and eating food;		6.	Appropriate test strips avaisanitizing agents.	ilable and used to check proper con	centration of		
	glove use. AFTER: toileting, diapering, assisting with toileting, nose blowing, handling raw food, glove use, cleaning and sanitizing, outdoor play, handling animals, eating, smoking, and as necessary.		7.		ndled in a manner which does not contact items.	aminate food,		
3.	Personnel preparing/serving food is free of infection or illness.							

Centers, Group Homes and License-Exempt Facilities				
Sanitation Inspection Report  FACILITY NAME	DVN DATE			
Kidz World Day Care and Preschool LLC	002500412 8/30/2022			
G. FOOD EQUIPMENT AND UTENSILS	II. BATHROOMS			
Single service items not reused.	Cleaned as needed or at least daily.			
All food equipment and utensils in good repair.	2. Paper towels stored and dispensed in a manner that minimizes contamination. All			
Food preparation and storage areas have adequate lighting.	equipment in good repair.			
Kitchen equipment that produces excessive grease laden vapors, moisture or heat	3. Facilities approved AFTER October 31, 1991 have:			
is properly vented.	Enclosed with full walls and solid doors. Doors closed when not in use.			
Facilities shall have mechanical refrigeration for facility use only.     Exception: License-Exempt facilities approved <u>BEFORE October</u> , 31, 1997	4. Facilities approved AFTER October 31, 1998 have:			
No carpeting or absorbent floor coverings in food preparation area.	Mechanically vented to prevent molds and odors.  5. Hand washing sinks located in or immediately adjacent to the bathroom.			
Adequate preparation and storage equipment for hot foods.	No carpeting or absorbent floor coverings.			
8. Facilities with a capacity of 20 children or less shall have:	7. Sufficient lighting for cleaning.			
Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in	8. No storage of toothbrushes or mouthable toys.			
conjunction with the mechanical dishwasher; or a 3 compartment sink or a 2	J. INFANT/TODDLER UNITS			
compartment sink with a third portable compartment for the final sanitizing step.  B. If a mechanical dishwasher is used, a minimum of two sinks located in food	If food preparation occurs, shall have a sink for food preparation separate from the diapering hand washing sink.			
preparation area labeled as:	Utensils used in the I/T Unit washed, rinsed and sanitized after each use with			
1) Hand washing only 2) Food preparation only.	proper methods and equipment.			
9. Facilities with a capacity of more than 20 children approved BEFORE October 31,	K. DIAPERING AREA			
1991, shall have:	No utensils or toys washed, rinsed or stored in the diaper changing area.			
Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in conjunction with the mechanical dishwasher; or use a 3 compartment sink.	Hand sink with warm running water located in the diapering area immediately accessible to the diapering surface.			
B. If a mechanical dishwasher is used, a minimum of two sinks located in food	3. Diapering surface smooth, easily cleanable, nonabsorbent, and in good repair.			
preparation area labeled as:	4. Soiled diapers stored in a solid, nonabsorbent container with tight fitting lid located			
1) Hand washing only 2) Food preparation only.	in diapering area.			
10. Facilities with a capacity of more than 20 children approved AFTER October 31, 1991 shall have:	5. Soiled diaper container emptied, washed, rinsed and sanitized daily.			
1991 Shan have:	L. REFUSE DISPOSAL			
A. Facility located in provider's residence shall have separate food preparation and	Adequate number of containers.     Clean, nonabsorbent, in sound condition.			
storage areas.  B. A commercial dishwasher or a 3 compartment sink in addition to a separate	Outside refuse area clean; containers covered at all times.			
hand washing sink.	Inside food refuse containers covered as required.			
C. If a commercial dishwasher is used, a sink located in food preparation area	5. Restrooms used by staff have covered refuse containers.			
labeled as food preparation.	SECTION # OBSERVATIONS			
H. CATERED FOODS	Note: Temps			
Catered food from inspected and approved source.	-			
Safe food temperature maintained during transport.  Temperature at arrival° F.	Child II I wike the 1012			
Facility using catered food exclusively shall have a hand washing sink in kitchen/food service area.	Child Hand sinks (100-1017)			
4. Facility not using single service utensils exclusively meets applicable dishwashing	T 1 - 1 No			
requirements as stated in Section G(8), or G(9), or G(10).	Frigida ce Fridge: Or M. IK (39F)			
Food and food related items protected from contamination during transport.	Lactaid (40F)			
	Fraidaire Freezer (29P) ambient			
Meny: Pre-cooked Loom	+ 3			
manufacturer chicken Auggets	LC Freeze (And.) NF			
mashed potatoes, mandarin oranges,	16 Fridge (And) 39 F			
skin milk.				
	Frigidaire Frenze by portin			
010- 27	1 1 1 1 6			
Page 2-3	(F,m &, )   r			
The above facility has been Inspected and does does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.	The inspector has discussed the issues marked by an asterisk (*) and/or marked by an (X) on this form. I agree to comply with these requirements.			
SIGNATURE OF INSPECTOR TELEPHONE DATE	SIGNATURE OF CHILD CARE PROVIDER DATE			
	Carre			
Michely Officer 573-431-1947 (103) 8/30/2022	8-30-22			
MO 580-1916 (4-07) // (X) DISTRIBÚTION: WHITE/SCCR CA	ANARY/INSPECTOR PHATPROVIDER BCC-3			
	)			

DAIL DAIL	Contara C	un Homos and Lises-	Evernt Feelling					
Sections  Observed R= Required, Cos = Cerreebed an Size  October Observed R= Required, Cos = Cerreebed an Size  A2  O: Peeling paint was observed and the term out and the the building  In the play ground area beneath the roof.  S: There Shall be no envicenmental thereads.  FI  O: Chlorist blesch Sanitizen used was observed as law - sphish  R: All items Shall be washed, ringely and Sanitized with opproved methods and agents.  Mate: No effluent was observed reflecing in the act of the Owrts, thigh water altern functioned when tested  Note water shape selected and signal.  Note water shape saidware growing from Melliss.  All octions observed in vall mounted from Melliss.  All octions Observed in vall mounted from Melliss.  All octions Observed in vall mounted A/C unit in play from R: The premises shall be clean and free of unsaniting conditions  R: The premises shall be clean and free of unsaniting conditions  September 21, 2022 Follow up a spectron  Page 3-3  The above bally has been inspected and does N does not contour with the The inspector has discussed the issues marked by an asterisk (4) and/or marked to separation agreements of the Missouri Department of Health and Senior Services  September 21, 2022 Follow up a spectron  Separation or Child care Regulation.  The inspector has discussed the issues marked by an asterisk (4) and/or marked to separation from the form. I agree to comply with these requirements.  Separation or Child care Regulation.  THE MISSOURIES OF OLD ONE PRODUCTION THE PRODUCTION TO THE PRODUCTI	2 0 0	12	•					
Note 0.5 Observed R= Required, CUS = Collected in Sile A2  D: Pecting paint was observed on the term outside the builting in the play ground area benieth the look.  R: There Shall be no environmental hazards.  FI O: Chlorine blesch Sanitzen used was observed as low-splish  R: All items Shall be washed, cinsely and sanitzed with opproved methods and agents.  Note: No ethlorine was observed rellacing in face area of the Owts, High water about hearthand when tested  Note hater Sangles (Bact, Nitrates) taken)  Free chlorine (sppn)  Note Water-Play lable guidance previded from Me PHIS.  All Cobbebs Observed in tall mounted by an astrony condition.  R: The premises shall be clean and free of unsanitary conditions.  September 21, 2022 Follow, up an spectron.  Page 3-3  The above heality has been inspected and does N does not conform with the The inspector has discussed the issues marked by an astrony (x) and/or marked b	FACILITY NAME:			,		100.000	DATE	
Note 0.5 Observed R= Required, CUS = Collected in Sile A2  D: Pecting paint was observed on the term outside the builting in the play ground area benieth the look.  R: There Shall be no environmental hazards.  FI O: Chlorine blesch Sanitzen used was observed as low-splish  R: All items Shall be washed, cinsely and sanitzed with opproved methods and agents.  Note: No ethlorine was observed rellacing in face area of the Owts, High water about hearthand when tested  Note hater Sangles (Bact, Nitrates) taken)  Free chlorine (sppn)  Note Water-Play lable guidance previded from Me PHIS.  All Cobbebs Observed in tall mounted by an astrony condition.  R: The premises shall be clean and free of unsanitary conditions.  September 21, 2022 Follow, up an spectron.  Page 3-3  The above heality has been inspected and does N does not conform with the The inspector has discussed the issues marked by an astrony (x) and/or marked b	Kidz Wo	orld Day Core	and Preschool	LLC		002500412	8/30/2022	
A2  D: Pecling paint was observed on the term outside the builling  In the plug ground area beneath the root.  R. There shall be no environmental thereof.  FI O: Chlorine bleech sanitized used was observed as low—  splish  R: II items shall be trashed, cinsely and samitized with  Opproved methods and agents.  Note the other was observed enthough in the area of the Owts, thigh water alum functioned when tisked  Note hater sangles (Bact, Nitrates) taken  Free chloribe (appa)  Note Water flag lable guidance provided from Me DHSS.  A1  O: Cobbebs Observed in hall agented from Me DHSS.  A2  Cobbebs Observed in hall agented from the DHSS.  A3  Cobbebs Observed in hall agented from the DHSS.  A4  Cobbebs Observed in hall agented from the DHSS.  A5  Cobbebs Observed in hall agented from the DHSS.  A6  Cobbebs Observed in hall agented from the DHSS.  A6  Cobbebs Observed in hall agented from the DHSS.  A6  Cobbebs Observed in hall agented from the DHSS.  A6  Cobbebs Observed in hall agented from the DHSS.  A6  Cobbebs Observed in hall agented from the DHSS.  A7  The above loolity has been inspected and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.  Cobbebs Observed and does X1 does not conform with the analysis of the Description of the DHSS.								
D: Recling flaint was observed on the teim outside the building in the play around area beneath the root.  R: There shall be no environmental thereof.  Chlorine bleech sanitizes used was observed as low-splish Place Shall be washed, cinsely and sanitized with opproved methods and agents.  R: All items Shall be washed, cinsely and sanitized with opproved methods and agents.  Mate: No effluent was observed cultosing in the area of the Olives, thigh water alarm functioned when tisted.  Note hater sangles (Bact, Nistrates) taken from the DHSS.  Note water flay lable guidance growled from MeDHSS.  All Cobbets Observed in tall mounted Alc unit in play soon.  R: the gramises shall be claim and free of unsaniting conditions.  September 21, 2022 Follow, up in spectron  September 21, 2022 Follow, up in spectrum.  Page 3-3  The above lability has been inspected and agent and senior Services and IX on this form. I agree to comply with these requirements.		0= Observed,	R= Regure	1, 60	s = Corregted	on Sile		
Chloring bleggh Sanitizer used was observed as low- splish  R: All items Shall be bashed, rinsed, and sanitized with approach methods and agents.  Mate: No offlood was observed suffecing in the area of the Owts, High water alarm functioned when tested  Note water Sangles (Bact, Nitrates) taken)  Free Chloring (Sppn)  Note water flag table guidance growled from MeDHSS.  All  O: Cobhishs Observed in wall agented from the play form.  R: The premises Shall be clean and free of unsaniting conditions  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and does N does not conform with the sanitation requirements of the Missouri Department of Health and Serior Services - an (X) on this form. Lagree to comply with these requirements.	A2							
Chloring bleggh Sanitizer used was observed as low- splish  R: All items Shall be bashed, rinsed, and sanitized with approach methods and agents.  Mate: No offlood was observed suffecing in the area of the Owts, High water alarm functioned when tested  Note water Sangles (Bact, Nitrates) taken)  Free Chloring (Sppn)  Note water flag table guidance growled from MeDHSS.  All  O: Cobhishs Observed in wall agented from the play form.  R: The premises Shall be clean and free of unsaniting conditions  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and does N does not conform with the sanitation requirements of the Missouri Department of Health and Serior Services - an (X) on this form. Lagree to comply with these requirements.	O:	Peeling	paint was	observed	on the frim	outside the bu	Hin	
Chloring bleggh Sanitizer used was observed as low- splish  R: All items Shall be bashed, rinsed, and sanitized with approach methods and agents.  Mate: No offlood was observed suffecing in the area of the Owts, High water alarm functioned when tested  Note water Sangles (Bact, Nitrates) taken)  Free Chloring (Sppn)  Note water flag table guidance growled from MeDHSS.  All  O: Cobhishs Observed in wall agented from the play form.  R: The premises Shall be clean and free of unsaniting conditions  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and does N does not conform with the sanitation requirements of the Missouri Department of Health and Serior Services - an (X) on this form. Lagree to comply with these requirements.		in the	plan a round	area be	nouth the 1004	<i>C</i>	0	
Chloring bleggh Sanitizer used was observed as low- splish  R: All items Shall be bashed, rinsed, and sanitized with approach methods and agents.  Mate: No offlood was observed suffecing in the area of the Owts, High water alarm functioned when tested  Note water Sangles (Bact, Nitrates) taken)  Free Chloring (Sppn)  Note water flag table guidance growled from MeDHSS.  All  O: Cobhishs Observed in wall agented from the play form.  R: The premises Shall be clean and free of unsaniting conditions  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and does N does not conform with the sanitation requirements of the Missouri Department of Health and Serior Services - an (X) on this form. Lagree to comply with these requirements.	R:	there S	hall be no	en vicon m	ental Hazard			
R: All items Shall be bashed, cinsely and san, Tired with approach methods and agents.  White: We althout we observed suffacing in the act of the Oints, thigh water alien functioned when Issled  Note bater Sangles (Bac T, Nitrates) taken)  Free Chlorine (Sppn)  Note Water Play table guidance growled from MolMES.  Al O: Cobbebs Observed in tall mounted A/c unit in play from.  R: The premises Shall be also and free of unsaniting conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  The inspector has discussed the issues marked by an asterick (*) and/or marked by sanitation requirements of the Missour Department of Health and Senior Services—  Second of Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) are the Missour Department of Health and Senior Services—  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
R: All items Shall be bashed, cinsely and san, Tired with approach methods and agents.  White: We althout we observed suffacing in the act of the Oints, thigh water alien functioned when Issled  Note bater Sangles (Bac T, Nitrates) taken)  Free Chlorine (Sppn)  Note Water Play table guidance growled from MolMES.  Al O: Cobbebs Observed in tall mounted A/c unit in play from.  R: The premises Shall be also and free of unsaniting conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  The inspector has discussed the issues marked by an asterick (*) and/or marked by sanitation requirements of the Missour Department of Health and Senior Services—  Second of Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) are the Missour Department of Health and Senior Services—  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.	E i							
R: All items Shall be bashed, cinsely and san, Tired with approach methods and agents.  White: We althout we observed suffacing in the act of the Oints, thigh water alien functioned when Issled  Note bater Sangles (Bac T, Nitrates) taken)  Free Chlorine (Sppn)  Note Water Play table guidance growled from MolMES.  Al O: Cobbebs Observed in tall mounted A/c unit in play from.  R: The premises Shall be also and free of unsaniting conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  The inspector has discussed the issues marked by an asterick (*) and/or marked by sanitation requirements of the Missour Department of Health and Senior Services—  Second of Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) are the Missour Department of Health and Senior Services—  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.	6.	T 66.	1 111 00			located as A		
R: All items Shall be bashed, cinsely and san, Tired with approach methods and agents.  White: We althout we observed suffacing in the act of the Oints, thigh water alien functioned when Issled  Note bater Sangles (Bac T, Nitrates) taken)  Free Chlorine (Sppn)  Note Water Play table guidance growled from MolMES.  Al O: Cobbebs Observed in tall mounted A/c unit in play from.  R: The premises Shall be also and free of unsaniting conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  The inspector has discussed the issues marked by an asterick (*) and/or marked by sanitation requirements of the Missour Department of Health and Senior Services—  Second of Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) are the Missour Department of Health and Senior Services—  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.  Second for Child Care Regulation.  The Inspector has discussed the issues marked by an asterick (*) and/or marked by an action (*) and (*) or this form. I agree to comply with these requirements.	0.	C/16/19	C Blegon su	71.1.200	used was of	SSCIPER US 10W		
Note No. All water alon functioned when Issled  Note water Singles (Bact, Nitrates) taken)  Free Chlorine (Spgn)  Note water flay lable guidance provided from Me IHIS.  All O: Cobbishs Observed in wall mounted A/c unit in play from.  R: The premises Shall be clean and free of unsaniting conditions.  September 21, 2022 Follow, up an spectform  September 21, 2022 Follow, up an spectform  The above tacility has been inspected and does N does not conform with the samitation requirements of the Missouri Department of Health and Senior Services.  Section for Child Care Regulation.  TELEPHONE DATE  SOMMURE OF MISSOURCE FOOWDER  DATE	٥.	Splash	- ( )		. / /	-/ /		
Note No. All water alon functioned when Issled  Note water Singles (Bact, Nitrates) taken)  Free Chlorine (Spgn)  Note water flay lable guidance provided from Me IHIS.  All O: Cobbishs Observed in wall mounted A/c unit in play from.  R: The premises Shall be clean and free of unsaniting conditions.  September 21, 2022 Follow, up an spectform  September 21, 2022 Follow, up an spectform  The above tacility has been inspected and does N does not conform with the samitation requirements of the Missouri Department of Health and Senior Services.  Section for Child Care Regulation.  TELEPHONE DATE  SOMMURE OF MISSOURCE FOOWDER  DATE	K:	All iten	s Shall be	washed,	(insed, and	Sanitired with		
Note No. All water alon functioned when Issled  Note water Singles (Bact, Nitrates) taken)  Free Chlorine (Spgn)  Note water flay lable guidance provided from Me IHIS.  All O: Cobbishs Observed in wall mounted A/c unit in play from.  R: The premises Shall be clean and free of unsaniting conditions.  September 21, 2022 Follow, up an spectform  September 21, 2022 Follow, up an spectform  The above tacility has been inspected and does N does not conform with the samitation requirements of the Missouri Department of Health and Senior Services.  Section for Child Care Regulation.  TELEPHONE DATE  SOMMURE OF MISSOURCE FOOWDER  DATE		approved	methods and	agents.				
Note No. All water alon functioned when Issled  Note water Singles (Bact, Nitrates) taken)  Free Chlorine (Spgn)  Note water flay lable guidance provided from Me IHIS.  All O: Cobbishs Observed in wall mounted A/c unit in play from.  R: The premises Shall be clean and free of unsaniting conditions.  September 21, 2022 Follow, up an spectform  September 21, 2022 Follow, up an spectform  The above tacility has been inspected and does N does not conform with the samitation requirements of the Missouri Department of Health and Senior Services.  Section for Child Care Regulation.  TELEPHONE DATE  SOMMURE OF MISSOURCE FOOWDER  DATE		7 *						
Note water stay take guidance provided from Mo MES.  **Mode Water stay take guidance provided from Mo MES.**  **Al O: Cobuchs Observed in wall mounted Alc unit in play form.  **R: The premises Shell be clear and free of unsanising conditions.**  **September 21, 2022 Follow up an spectron.**  **September 21, 2022 Follow up an spectron.**  **Page 3-3*  The above facility has been inspected and does to does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services.**  **Section for Child Care Regulation.**  **SIGNATURE OF ONE PECTOR TELEPHONE DATE**  **SIGNATURE OF ONE PECTOR TELEPHONE DATE**  **DIATE**  **SIGNATURE OF ONE PECTOR DATE**  **DIATE**  **DIAT	Note:	No efflu	ent is obser	rved sulf	aciny in the	e area of the	٠	
Note water stay take guidance provided from Mo MES.  **Mode Water stay take guidance provided from Mo MES.**  **Al O: Cobuchs Observed in wall mounted Alc unit in play form.  **R: The premises Shell be clear and free of unsanising conditions.**  **September 21, 2022 Follow up an spectron.**  **September 21, 2022 Follow up an spectron.**  **Page 3-3*  The above facility has been inspected and does to does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services.**  **Section for Child Care Regulation.**  **SIGNATURE OF ONE PECTOR TELEPHONE DATE**  **SIGNATURE OF ONE PECTOR TELEPHONE DATE**  **DIATE**  **SIGNATURE OF ONE PECTOR DATE**  **DIATE**  **DIAT		owts,	High water	alarm	functioned in	hen tested		
Note Water flag lable guidance provided from MolHIS.  Al  O: Coblacts Observed in wall mounted A/c unit in play from.  R: The premises Shall be clear and free of unsanitary conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and □ does X does not conform with the samilation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF CHILD CARE PROMDER DATE					300			
Note Water flag lable guidance provided from MolHIS.  Al  O: Coblacts Observed in wall mounted A/c unit in play from.  R: The premises Shall be clear and free of unsanitary conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and □ does X does not conform with the samilation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF CHILD CARE PROMDER DATE	Note	hater	Samples (Bo	c-T. N	itrotes   take	200		
Note Water flag lable guidance provided from MolHIS.  Al  O: Coblacts Observed in wall mounted A/c unit in play from.  R: The premises Shall be clear and free of unsanitary conditions.  September 21, 2022 Follow up in spectron  September 21, 2022 Follow up in spectron  Page 3-3  The above facility has been inspected and □ does X does not conform with the samilation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF CHILD CARE PROMDER DATE		Tre	e Chloribe	15:200)	)			
A Capture of inspected and does A does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services  Capture of Child Care Regulation.  A canit in play form.  R: The premises Shall be clean and free of unsanitary conditions.  September 21, 2022 Follow up inspected and management of the Missouri Department of Health and Senior Services and (X) on this form. I agree to comply with these requirements.  September 21, 2022 Follow up in spectficial and was asserted by an asterisk (*) and/or marked by an asterisk (*) and/		112	e en io- i-to	( ) ( )				
A Capture of inspected and does A does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services  Capture of Child Care Regulation.  A canit in play form.  R: The premises Shall be clean and free of unsanitary conditions.  September 21, 2022 Follow up inspected and management of the Missouri Department of Health and Senior Services and (X) on this form. I agree to comply with these requirements.  September 21, 2022 Follow up in spectficial and was asserted by an asterisk (*) and/or marked by an asterisk (*) and/								
A Capture of inspected and does A does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services  Capture of Child Care Regulation.  A canit in play form.  R: The premises Shall be clean and free of unsanitary conditions.  September 21, 2022 Follow up inspected and management of the Missouri Department of Health and Senior Services and (X) on this form. I agree to comply with these requirements.  September 21, 2022 Follow up in spectficial and was asserted by an asterisk (*) and/or marked by an asterisk (*) and/	11-1-	1	01. (11	• 1	00 -11	M. Ducc		
Sep Jem by 21, 2022 Follow up an Spectfion  Page 3-3  The above facility has been inspected and does sanitation requirements of the Missouri Department of Health and Senior Services an (X) on this form. I agree to comply with these requirements.  Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  DATE  SIGNATURE OF CHILD CARE PROVIDER  DATE	10 000	Water	- Pray lable o	ghidien ac	grovided from	~ MO MALS.		
Sep Jem by 21, 2022 Follow up an Spectfion  Page 3-3  The above facility has been inspected and does sanitation requirements of the Missouri Department of Health and Senior Services an (X) on this form. I agree to comply with these requirements.  Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  DATE  SIGNATURE OF CHILD CARE PROVIDER  DATE	1 i							
Sep Jem by 21, 2022 Follow up an Spectfion  Page 3-3  The above facility has been inspected and does sanitation requirements of the Missouri Department of Health and Senior Services an (X) on this form. I agree to comply with these requirements.  Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  DATE  SIGNATURE OF CHILD CARE PROVIDER  DATE	A I	C 1		. 11	+/ 1/			
Sep Jem by 21, 2022 Follow up an Spectfion  Page 3-3  The above facility has been inspected and does sanitation requirements of the Missouri Department of Health and Senior Services an (X) on this form. I agree to comply with these requirements.  Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  DATE  SIGNATURE OF CHILD CARE PROVIDER  DATE	0:	Cobbebs	Observed ir	1 hall m	ounted A/C	unit in play	form.	
Sep Jem by 21, 2022 Follow up an Spectfion  Page 3-3  The above facility has been inspected and does sanitation requirements of the Missouri Department of Health and Senior Services an (X) on this form. I agree to comply with these requirements.  Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  DATE  SIGNATURE OF CHILD CARE PROVIDER  DATE	K:	R: The premises shall be clean and free of unsaniting conditions.						
The above facility has been inspected and does does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  The inspector has discussed the issues marked by an asterisk (*) and/or marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the inspector has discussed the inspector has discussed the inspector has discussed the inspecto	-	V						
The above facility has been inspected and does does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  The inspector has discussed the issues marked by an asterisk (*) and/or marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the inspector has discussed the inspector has discussed the inspector has discussed the inspecto								
The above facility has been inspected and does does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  SIGNATURE OF INSPECTOR  TELEPHONE  The inspector has discussed the issues marked by an asterisk (*) and/or marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an asterisk (*) and/or marked by an inspector has discussed the issues marked by an inspector has discussed the inspector has discussed the inspector has discussed the inspector has discussed the inspecto		5	september 21	, 2022	Follow up	in spettion		
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone					<i>V</i>	<i>V</i>		
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone								
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone								
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone								
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone								
The above facility has been inspected and  does  does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services - Section for Child Care Regulation.  Telephone						Page 3	-3	
SIGNATURE OF INSPECTOR TELEPHONE DATE SIGNATURE OF CHILD CARE PROVIDER DATE	sanitation req	quirements of the Misson				d the issues marked by an asterisk		
			TEL EDUCKIE	DATE	•		DATE	
Number 9. Jogges 573-431-1947 (103) 8/30/DOZZ Kay  O 580-1916 (4-07) Jogges 573-431-1947 (103) 8/30/DOZZ Kay  DISTRIBUTION: WHITE/SCOR CANARY/INSPECTOR PARPHOVIDER  8-30-22  BCC:3		***************************************			1/		3 3	
O 580-1916 (4-07) U U U U U U U U U U U U U U U U U U U	nucheles	y. Joggers	573-431-1947 60	3) 8/30/2022	Kay >		5-30-22	
	MO 580-1916 (4-07)	0 00	DISTRIBU	TION: WHITE/SCCR CA	NAHY/INSPECTOR PINK-PROVIDER		BCC-35	

-