

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

9:00am	TIME OUT 9:20am
DATE 6-15-23	PAGE 1 of 2

NEXT ROUTINE INSPE	ECTION, OR SUCH SHORTER PI	ERIOD OF TIME AS M	IAY BE SPE	ECIFIED	IN WRI	T <mark>I</mark> NG BY T	HE REGULA	ILITIES WHICH MUST BE CORRECTIONS TORY AUTHORITY. FAILURE TO		
ESTABLISHMENT Blair Cafeteria MOE		OWNER: Missouri Dept.			55A11C	IN OF YOU	JK FOOD OF	PERSON IN CHARGE: Beth Stroup		
ADDRESS: 1016 W	/est Columbia St.	<u>'</u>			ABLIS	HMENT I	NUMBER:	COUNTY: 187		
CITV/7ID:	on, 63640	PHONE: 573-218-7059		FAX	:			P.H. PRIORITY : H	М]L
ESTABLISHMENT TYPE BAKERY RESTAURANT	C. STORE CATER SCHOOL SENIOR	ER DE	LI MMER F.P.		GROCE	RY STOR		ISTITUTION MOBILE V	ENDORS	s
PURPOSE Pre-opening	■ Routine □ Follow-up		☐ Other _		710 2111					
FROZEN DESSER		SEWAGE DISPOS		ATER S			NON OOL			
	sapproved Not Applicable	■ PUBLI ■ PR I VA		COM	MUNIT	Υ 🗀	NON-COM Date Sam	1MUNITY □ PRIVATE ppled Results		
License No		RISK FAC		ID INTE	RVEN ⁻	TIONS				
								and Prevention as contributing factor	rs in	
Compliance	reaks. Public health intervention Demonstration of h		COS COS		me IIIne: mpliance			otentially Hazardous Foods	COS	S R
₩ DUT	Person in charge present, dem	onstrates knowledge,		ĪN	DUT	VO N/A	Proper coo	king, time and temperature		
	and performs duties Employee He	ealth				MO N/A	Proper reh	eating procedures for hot holding		+
TUO N	Management awareness; policing Proper use of reporting, restric	y present		ĪN	DUT	N/O N/A		ling time and temperatures		
TUO NUT	Good Hygienic F			IN IN	OUT	N/A N/A		holding temperatures I holding temperatures	_	+
DUT N/O	Proper eating, tasting, drinking					N/C N/A		marking and disposition		
OUT N/O	No discharge from eyes, nose			IN	DUT	N/A	records)	public health control (procedures /		
OUT N/O	Preventing Contamina Hands clean and properly was			IN	ОИТ	M ∕A	Consumer	Consumer Advisory advisory provided for raw or ed food		
OUT N/O	No bare hand contact with read approved alternate method pro							ghly Susceptible Populations		
TN DAT	Adequate handwashing facilitie accessible			IN	DUT	N/O N/A	Pasteurized offered	d foods used, prohibited foods not	_	
	Approved So							Chemical		
IN OUT NO N/A	Food obtained from approved a Food received at proper temper				OUT	N/A		ves: approved and properly used ances properly identified, stored and	_	+
UN OUT	1		1	₩.	OUT		used			
IN DUT NO MA	Food in good condition, safe as Required records available: sh		1	ΓN	TUO	N/A	Compliance	mance with Approved Procedures e with approved Specialized Process	,	+
IN DOT INO DATE	destruction Protection from Cor	ntamination				1 4 2 (and HACCI	^o plan		
DUT N/A	1					the left of	f each item in	dicates that item's status at the time	of the	
UN OUT N/A	Food-contact surfaces cleaned	& sanitized		insp	ection. IN =	in complia	ance	OUT = not in compliance		
IN OUT NO	Proper disposition of returned,				N/A	= not appli S=Correcte	icable	N/O = not observed R=Repeat Item		
	reconditioned, and unsafe food		OOD RETA	L PRAC		s-correcte	d On Site	N-Nepeat Rem		
	Good Retail Practices are preve					ogens, ch	emicals, and	physical objects into foods.		
IN OUT Paste	Safe Food and Water		COS F	R IN	OUT	In		per Use of Utensils	cos	R
Wate	eurized eggs used where required er and ice from approved source					Utensils	tensils: prope , equipment a	and linens: properly stored, dried,		+
Vale	Food Townson Co.	ata a l		√		handled		ilaa antialaa ananan da aanta aanta aanta	<u></u>	
Adec	Food Temperature Con quate equipment for temperature of			√			se/single-ser used properly	vice articles: properly stored, used		+
Appr	oved thawing methods used							Equipment and Vending		
Ther	mometers provided and accurate			$\overline{}$		designe	d, constructe	ontact surfaces cleanable, properly d, and used		
	Food Identification			$\overline{}$		Warewa strips us	shing facilitie ed	s: installed, maintained, used; test		
Food	properly labeled; original contain			V			l-contact surf			
Insec	Prevention of Food Contar cts, rodents, and animals not pres			-		Hot and		hysical Facilities vailable; adequate pressure	 	
Cont	amination prevented during food p			V	I			roper backflow devices		†
- and C	display onal cleanliness: clean outer cloth	ing, hair restraint.				Sewage	and wastewa	ater properly disposed	 	+
finge	rnails and jewelry			√	Щ				<u> </u>	
	ng cloths: properly used and store s and vegetables washed before ι			√ √				rly constructed, supplied, cleaned erly disposed; facilities maintained		+
				V				alled, maintained, and clean		
Person in Charge	Title: 1/2 M Lh		Beth :	Stroup			Dat	e: June 15, 2023		
Inspector:		John Wisema	an	Telepho (573)4:	ne No. 31-194	EPH: 1507		ow-up: ☐ Yes low-up Date:	■ N	10



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES

FOOD ESTABLISHMENT INSPECTION REPORT

2 of 2 PAGE

ESTABLISHMEN Blair Cafeteria	T NAME a MODMH SORTS	ADDRESS 1016 West Columbia St.		ITY/ZIP armington, 63640		
FO	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LC	DCATION	TEMP. in ° F	
	McCall cooler	36				
	McCall hot cabinet	160				
	Superior cooler	38				
	rest cooler: ambient, milk	34, 40				
	Air cooler: ambient, hb eggs	30, 42				
Code Reference	Priority items contribute directly to the el or injury. These items MUST RECEIVE	PRIORITY IT imination, prevention or reduction IMMEDIATE ACTION within 72	to an acceptable level, hazards asso	ociated with foodborne illness	Correct by (date)	Initial
	No priority violations were obser	ved during this inspection				
Code		CORE ITE	MS		Correct by	Initial
Code Reference	Core items relate to general sanitation, c		ructures, equipment design, general		Correct by (date)	Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
		operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	operational controls, facilities or st . These items are to be correct	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	perational controls, facilities or stone the correct of the correc	tructures, equipment design, general ted by the next regular inspection of the next regular i			Initial
	standard operating procedures (SSOPs)	perational controls, facilities or stone the correct of the correc	ructures, equipment design, general			Initial
	standard operating procedures (SSOPs)	perational controls, facilities or stone the correct of the correc	tructures, equipment design, general ted by the next regular inspection of the next regular i			Initial
	No core violations were observed	perational controls, facilities or stone the correct of the correc	tructures, equipment design, general ted by the next regular inspection of the next regular i		(date)	Initial
Reference	No core violations were observed	perational controls, facilities or stone the correct of the correc	tructures, equipment design, general ted by the next regular inspection of the next regular i	Date: June 15, 202	(date)	Initial