



MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES
SECTION FOR CHILD CARE REGULATION
SANITATION INSPECTION REPORT
LICENSED CENTERS, GROUP HOMES
AND LICENSE-EXEMPT FACILITIES



Arrival Time 10:22am	CODES X = Non-Compliance Noted N.O. = Not Observed N.A. = Not Applicable * = Discussed and Agrees to comply with requirements
Departure Time 1:00pm	
Date June 1, 2023	

☐ Initial ☒ Annual ☐ Reinspection ☐ Lead ☐ Special Circumstances _____ Page 1 of 3

FACILITY NAME Superior Children's Center	DVN 001636902	COUNTY CODE 187
ADDRESS (Street, City, State, Zip Code) 1340 Airpark Drive, Farmington, Mo 63640	INSPECTOR'S NAME (Print) Nicholas Joggerst	

An inspection of your facility has been made on the above date. Any non-compliances are marked below.

A. GENERAL		E. FOOD PROTECTION	
1. Clean and free of unsanitary conditions.	X	1. Food from approved source and in sound condition; no excessively dented cans.	
2. No environmental hazards observed.		2. No use of home canned food. No unpasteurized milk.	
3. No evidence of insects, spiders, rodents or pest entry points, or pest harborage.		3. Ground beef cooked to 155° F; poultry and pooled eggs to 165° F; pork to 145° F and all other foods cooked to at least 140° F. All hot food kept at 140° F or above.	
4. Well ventilated, no evidence of mold, noxious or harmful odors.		4. Precooked food reheated to 165°.	
5. Screens on windows and doors used for ventilation in good repair.		5. Food requiring refrigeration stored at 41° F or below.	
6. No indication of lead hazards.		6. Refrigerator 41° F or below, accessible readable thermometer required. Foods in freezer frozen solid. Temp at time of Inspection <u>38-41</u> ° F.	
7. No toxic or dangerous plants accessible to children.		7. Metal stemmed thermometer reading 0° - 220° F in 2° increments for checking food temperatures. (Also use to check hot water temperature.)	
8. Medicines and other toxic agents not accessible to children. Child contact items stored to prevent contamination by medicines, other toxic agents, cleaning agents and waste water drain lines.		8. Food, food related items, and utensils covered, stored and handled to prevent contamination by individuals, pests, toxic agents, cleaning agents, water drain lines, medicines, dust, splash and other foods. No bare-hand contact of ready-to-eat foods.	
9. All sinks equipped with mixing faucets or combination faucets with hot and cold running water under pressure.		9. Food, toxic agents, cleaning agents not in their original containers properly labeled.	
10. Hot water temperature at sinks accessible to children - 100° - 120° F. Temp at time of Inspection <u>100-114</u> ° F.		10. No food or food related items stored or prepared in diapering areas or bathrooms.	
11. Pets free of disease communicable to man.		11. Food stored in food grade containers only.	
12. Pets living quarters clean, and well maintained.		12. Food thawed under refrigeration, 70° F running water, or microwave (if part of the cooking process).	
13. Reptiles are prohibited on the premises. Birds of the Parrot Family tested for Psittacosis.		13. No animals in food preparation or food storage areas.	
14. Swimming/wading pools filtered, treated, tested and water quality records maintained. Meets local codes.		14. No eating, drinking, and/or smoking during food preparation.	
15. A minimum of 18" separation between drinking fountains & hand sinks.		15. Food served and not eaten shall not be re-served to children in care.	
16. No high hazards cross-connections.		16. Refrigerated potentially hazardous foods properly marked with 7-day discard date after opening or preparation.	
B. WATER SUPPLY (circle type)		F. CLEANING AND SANITIZING	
COMMUNITY NON-COMMUNITY PRIVATE		1. All items requiring sanitizing shall be washed, rinsed and sanitized with approved agents, methods, and concentrations.	
PRIVATE SYSTEMS ONLY		2. All utensils and toys air dried.	
1. Constructed to prevent contamination.		3. The following items washed, rinsed and sanitized after each use:	
2. Meets DHSS-SCCR water quality requirements.		A. Food utensils	
A. Bacteriological sample results.		B. Food contact surfaces including eating surfaces, high chairs, etc.	
B. Chemical (Prior SCCR Approval Needed)		C. Potty chairs and adapter seats.	
C. SEWAGE (circle type)		D. Diapering surface	
COMMUNITY ON-SITE		E. All toys that have had contact with body fluids.	
ON-SITE SYSTEMS ONLY		4. The following items are washed, rinsed and sanitized at least daily:	
1. DNR Regulated System: Type: _____		A. Toilets, urinals, hand sinks.	
2. DHSS Regulated System: Type: _____ Meets DHSS-SCCR requirements.		B. Non-absorbent floors in infant/toddler spaces.	
3. Meets local requirements.		C. Infant/Toddler toys used during the day.	
D. HYGIENE		5. Walls, ceilings, and floors clean and in good repair. Cleaned and sanitized when contacted by body fluids.	
1. Care givers and children wash hands using soap, warm running water and sanitary hand drying methods.		6. Appropriate test strips available and used to check proper concentration of sanitizing agents.	
2. Care givers and children wash hands BEFORE: preparing, serving, and eating food; glove use. AFTER: toileting, diapering, assisting with toileting, nose blowing, handling raw food, glove use, cleaning and sanitizing, outdoor play, handling animals, eating, smoking, and as necessary.		7. Soiled laundry stored and handled in a manner which does not contaminate food, food related items and child contact items.	
3. Personnel preparing/serving food is free of infection or illness.			

FACILITY NAME Superior Children's Center		DVN 001636902	DATE June 1, 2023
G. FOOD EQUIPMENT AND UTENSILS		I. BATHROOMS	
1. Single service items not reused.		1. Cleaned as needed or at least daily.	
2. All food equipment and utensils in good repair.		2. Paper towels stored and dispensed in a manner that minimizes contamination. All equipment in good repair.	
3. Food preparation and storage areas have adequate lighting.		3. Facilities approved AFTER October 31, 1991 have: Enclosed with full walls and solid doors. Doors closed when not in use.	
4. Kitchen equipment that produces excessive grease laden vapors, moisture or heat is properly vented.		4. Facilities approved AFTER October 31, 1998 have: Mechanically vented to prevent molds and odors.	
5. Facilities shall have mechanical refrigeration for facility use only. Exception: License-Exempt facilities approved BEFORE October 31, 1997		5. Hand washing sinks located in or immediately adjacent to the bathroom.	
6. No carpeting or absorbent floor coverings in food preparation area.		6. No carpeting or absorbent floor coverings.	
7. Adequate preparation and storage equipment for hot foods.		7. Sufficient lighting for cleaning.	
8. Facilities with a capacity of 20 children or less shall have:		8. No storage of toothbrushes or mouthable toys.	
A. Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in conjunction with the mechanical dishwasher; or a 3 compartment sink or a 2 compartment sink with a third portable compartment for the final sanitizing step.		J. INFANT / TODDLER UNITS	
B. If a mechanical dishwasher is used, a minimum of two sinks located in food preparation area labeled as: 1) Hand washing only 2) Food preparation only.		1. If food preparation occurs, shall have a sink for food preparation separate from the diapering hand washing sink.	
9. Facilities with a capacity of more than 20 children approved BEFORE October 31, 1991 , shall have:		2. Utensils used in the I/T Unit washed, rinsed and sanitized after each use with proper methods and equipment.	
A. Mechanical dishwasher that sanitizes; or employ an additional sanitizing rinse in conjunction with the mechanical dishwasher; or use a 3 compartment sink.		K. DIAPERING AREA	
B. If a mechanical dishwasher is used, a minimum of two sinks located in food preparation area labeled as: 1) Hand washing only 2) Food preparation only.		1. No utensils or toys washed, rinsed or stored in the diaper changing area.	
10. Facilities with a capacity of more than 20 children approved AFTER October 31, 1991 shall have:		2. Hand sink with warm running water located in the diapering area immediately accessible to the diapering surface.	
A. Facility located in provider's residence shall have separate food preparation and storage areas.		3. Diapering surface smooth, easily, cleanable, nonabsorbent, and in good repair.	
B. A commercial dishwasher or a 3 compartment sink in addition to a separate hand washing sink.		4. Soiled diapers stored in a solid, nonabsorbent container with tight fitting lid located in diapering area.	
C. If a commercial dishwasher is used, a sink located in food preparation area labeled as food preparation.		5. Soiled diaper container emptied, washed, rinsed and sanitized daily.	
H. CATERED FOODS		L. REFUSE DISPOSAL	
1. Catered food from inspected and approved source.		1. Adequate number of containers.	
2. Safe food temperature maintained during transport. Temperature at arrival _____ °F.		2. Clean, nonabsorbent, in sound condition.	
3. Facility using catered food exclusively shall have a hand washing sink in kitchen/food service area.		3. Outside refuse area clean; containers covered at all times.	
4. Facility not using single service utensils exclusively meets applicable dishwashing requirements as stated in Section G(B), or G(9), or G(10).		4. Inside food refuse containers covered as required.	
5. Food and food related items protected from contamination during transport.		5. Restrooms used by staff have covered refuse containers.	
Menu: Salisbury steak(pre-cooked), mashed potatoes, gravy, bread, pear cup, milk.		SECTION # OBSERVATIONS	
		NOTE: Temperatures: Kitchen- True Freezer(amb.) 0F True fridge(amb.)40F, Gallon milk (amb.)39F Hot hold cabinet: Salisbury steak (139F) Toddler 1: handsinks(103F) Med-Lab fridge(amb.) 39F Bathroom Handsink (100F) Toddler Room 2 (handsink) 105F Accu-Cold Fridge(amb.) 38F Movement Room Bathroom handsink(100F) STEM Room Handsink (103F)	
The above facility has been inspected and <input checked="" type="checkbox"/> does <input type="checkbox"/> does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services -Section for Child Care Regulation		The inspector has discussed the issues marked by an asterisk (*) and/or marked by an (X) on this form. I agree to comply with these requirements.	
SIGNATURE OF INSPECTOR 		TELEPHONE 431-1947	SIGNATURE OF CHILD CARE PROVIDER 
		DATE June 1, 2023	DATE June 1, 2023

Sanitation Inspection Report

FACILITY NAME:

Superior Children's Center

DVN:

001636902

DATE

June 1, 2023

SECTION

OBSERVATIONS

NOTE: O-Observed, R-Required, COS-Corrected on Site

NOTE: Temps Continued

Transition 1: Hand sink (100F), Accu-cold Fridge(amb.) 40F, Bathroom hand sink (100F)

Transition 2: Med-Lab fridge(amb.) 40F, Handsink (108F)

Pre-school 3: Med-Lab fridge(amb.) 39F, Hand sink(106F), Girls' room hand sink (109F), Boys' room hand sink(101F)

Pre-school 2: Hand sink(100F), Accu-Cold fridge (amb.) 41F

K-Prep: Accu-Cold Fridge(amb.) 40F, Hand sink (106F), Boys' bathroom hand sink (111F), Girls' bathroom hand sink(112F)

Infant Room 2: Hand sink(108F), Diaper area hand sink (111F), GE Fridge(amb.) 39F, GE Freezer(amb.) 15F

Infant Room 1: Hand sink (107F), Kitchen Freezer (14F), Kitchen Fridge(amb.) 40F

Flex Room 2: Hand sink (114F), bathroom hand sink (101F), GE Freezer(amb.) 0F, GE Fridge (amb.)

Flex Room 1: Hand Sink (102F), GE Fridge (amb.) 41F, GE Freezer(amb.) 12F

A1:

O: Minor debris was observed on facility floors and several upholstery items.

R: The facility shall be clean and free of unsanitary conditions.

COS by asking staff to clean of all debris.

The above facility has been inspected and ☒ does ☐ does not conform with the sanitation requirements of the Missouri Department of Health and Senior Services Section for Child Care Regulation.

The inspector has discussed the issues marked by an asterisk (*) and/or marked by an (X) on this form. I agree to comply with these requirements.

SIGNATURE OF INSPECTOR

TELEPHONE

DATE

SIGNATURE OF CHILD CARE PROVIDER

DATE

431-1947

June 1, 2023

June 1, 2023