



Missouri Department of Health & Senior Services
Bureau of Environmental Health Services
Lodging Establishment Inspection Report

FOR CENTRAL
OFFICE
USE ONLY

ESTABLISHMENT NUMBER

Establishment Name
Crown Pointe Lodge

Name ☐ Owner ☒ General Manager
Barrett Lewis

Physical Address
4245 Hunt Road

City
Farmington

Zip
63640

Mailing Address
Same as Physical

City

Zip

County **187** This inspection is a(n) ☐ Initial ☐ Annual ☒ Follow-up Telephone **(573) 701-9747** No. of Stories **3** No. of Rooms **48** Is the current lodging license displayed? ☒ Yes ☐ No ☐ N/A- new

Rooms Inspected:

105, 306

Water Supply

☐ Private ☒ Public
Water sample taken ☐ Yes ☒ No

Wastewater

☐ Private ☒ Public
Regulated by: ☐ DHSS ☒ DNR

Swimming Pools/Spas (check all that apply)

Indoor pool ☒ Outdoor pool ☐ Spa ☒ Pool larger than 2000 square feet ☐

Please check if the following local ordinances apply

- ☒ Fire Safety ☒ Electrical Wiring
☐ Plumbing
☐ Swimming Pools/Spas
☒ Fuel Burning Appliances

New Lodging Establishments

☐ N/A

Smoke detectors hardwired ☐ Yes ☐ No ☐ N/A
Fire alarm system installed ☐ Yes ☐ No ☐ N/A
Sprinkler system installed ☐ Yes ☐ No ☐ N/A
Swimming Pool Certified ☐ Yes ☐ No ☐ N/A
Building Certified to National Standards or Occupancy Permit ☐ Yes ☐ No
Historical Building ☐ Yes ☐ No ☐ N/A

Based on an inspection this day, the items marked "Out" below identify noncompliance in operations or facilities which must be corrected prior to issuance or renewal of your lodging license. Failure to comply with any time limits for corrections specified in this notice may result in revocation of your lodging license and/or prosecution. Owners may request a hearing before the Department Director upon filing a written request within ten days after receipt of this notice. (RSMo 315.005-065, 19 CSR 20-3.050)

| In=In Compliance | | Out=Not In Compliance, explain on additional page(s) | | NO=Not Observed | | N/A=Not Applicable | | | |
|---|-------------------------------------|--|-------------------------------------|-------------------------------------|---|-------------------------------------|--------------------------|-------------------------------------|--------------------------|
| Section A & B: Water Supply & Wastewater | In | Out | NO | N/A | Section E: Fire Safety | In | Out | NO | N/A |
| 1. Approved source, construction and operation | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1. Textiles, hangings and mirrors | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Complies with water quality standards | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 2. Fire extinguisher type, inspected, and location | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Chlorinator maintained and operated properly | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. Vertical openings fire-rated, self-closing | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Wastewater operation and maintenance | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Doors, self-closing and fire-rated | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Section C: Sanitation/Housekeeping | | | | | 5. Smoke detectors hardwired, installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1. Walls, floors and ceilings in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Evacuation route and plan, installed, available | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Housekeeping practices and furnishings | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Stairs and ramps, maintained, storage | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Towels and bed linens clean | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. Means of egress, number, maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Mattresses and box springs clean | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Handrails and balconies maintained and appropriate | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Pest control procedures | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Section F: Swimming Pools/Spas | | | | |
| 6. Ice machines, scoops, liners clean & protected | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Fence, gate adequate, proper closure mechanism | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7. Garbage storage and disposal | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. Boundary line, pool depth properly marked | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8. Premises maintained, plant growth controlled | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. Deck is clean and in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Food Inspection conducted according to 19CSR20-1.025 | | | | | 4. Lifesaving equipment adequate, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9. Food, equipment and single service/use | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. Pool clarity, pH, disinfectant, & temp. maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 10. Food protected from contamination | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Steps, ladders, and handrails installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 11. Facilities to wash, rinse and sanitize | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Adequate ventilation | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12. Handwashing facilities/hygienic practices | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. Electrical outlets, proper protection & distance | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Section D: Life Safety | | | | | 9. Records maintained and signs posted | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1. Combustible/toxic items usage and storage | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. First aid kit available | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Building maintained to assure safe conditions | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. Lighting adequate and in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. CO detectors hardwired, installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Section G: Plumbing/Mechanical | | | | |
| 4. GFCI, outlets & switches installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Equipment adequate, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Exit signs installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. Ventilation adequate, plumbing, restrooms | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6. Emergency lighting installed, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. T & P relief valves adequate, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7. Electric panel protected, labeled, good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. Relief valve discharge pipes installed, adequate | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Required Annual Third Party Inspections | | | | | 5. Backflow, air gaps, no cross connections | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1. Fire Alarm System | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Section H: Heating & Cooling | | | | |
| 2. Sprinkler System | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Unvented fuel-burning appliance/space heater | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Local Fire and Building Codes/Ordinances | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. Fire resistant room or sprinkler head | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Current Boiler/Pressure Vessels MDPS Certification | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. Location of heating/cooling units | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Backflow Device(s) Test | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. Ventilation of appliances and utility rooms | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 6. Liquid Propane Leak Test | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 5. Operation and condition adequate | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

INSPECTED BY (PRINT NAME and SIGN)

Donovan Kleinberg

EPHS NUMBER
1686

AGENCY

St. Francois County Health Center

TELEPHONE

(573)431-1947

LICENSING YEAR
2023 / 2024

APPROVED ☒ YES ☐ NO

DATE INSPECTED

June 21 2023

FOLLOW UP DATE

N/A

RECEIVED BY (PRINT NAME AND TITLE and SIGN)

PAGE 1 OF 2

Report emailed to Mr. Lewis.



| | | |
|--|--|----------------------------|
| Establishment Name: Crown Pointe Lodge | Physical Address: 4245 Hunt Road | City: Farmington |
|--|--|----------------------------|

| SECTION REFERENCE | OBSERVATIONS AND ADDITIONAL COMMENTS |
|-------------------|--------------------------------------|
|-------------------|--------------------------------------|

A follow-up inspection we conducted on June 21 2023 and all physical facility issues were resolved. The only remaining requirement was the third party inspection from Farmington Fire Department which was completed on July 20, 2023.

POOL
Pool pH 7.2

THIRD PARTY INSPECTIONS

Farmington Fire Department: Current - Expires July 20 2024
Fire Extinguisher: Current - Expires January 10 2024
Back Flow: Current - Expires January 10 2024
Sprinkler: Current - Expires January 10 2024

Inspected by:

Donovan Kleinberg

Date:

June 21 2023

Received by:

Report emailed to Mr. Lewis.

Date:

July 20 2023