

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 12:14 PM	TIME OUT 1:10	PM
DATE 12/1/2023	PAGE 1 of	2

NEXT ROUTINE INSPEC	TION THIS DAY, THE ITEMS NOT CTION, OR SUCH SHORTER PER FOR CORRECTIONS SPECIFIED	OD OF TIME AS M	AY BE SPEC	IFIED I	N WRI	T <mark>IN</mark> G BY T	HE REGULA	ATORY AUTHORITY.			
ESTABLISHMENT N		OWNER: Joon Kim	WAT TREGGET	III OL	30/1110	711 01 100	<u> </u>	PERSON IN CH Sarah Perkins	ARGE:		
ADDRESS: 729 Sun	set Drive					HMENT I	NUMBER: 4761	COUNTY: 187			
CITY/ZIP: PHONE: (573) 760-1080)	FAX:	FAX: N/A P.H. PF		P.H. PRIORITY	: 🔳н 🗌	_м	L		
ESTABLISHMENT TYPE BAKERY RESTAURANT	C. STORE CATERER SCHOOL SENIOR C	R	L I MMER F.P.		GROCE AVERN	RY STOR		NSTITUTION EMP.FOOD	MOBILE \	/ENDORS	i
PURPOSE Pre-opening	■ Routine □ Follow-up	'	Other								
FROZEN DESSERT	- approved ■ Not Applicable	EWAGE DISPOS		TER S			NON COL	MMUNITY [☐ PRIVATE		
License No.	approved Not Applicable	■ PUBLI □ PRIVA	- -	COIVIIV	IUNII			npled	Results		
License No.	-		TORS AND	INTE	RVEN	TIONS					
	preparation practices and employee eaks. Public health interventions							I and Prevention as co	ontributing fact	ors in	
Compliance	Demonstration of Kno	owledge	COS R		mpliance		F	Potentially Hazardous		cos	R
₩ DUT	Person in charge present, demor and performs duties	istrates knowledge,		₩	TUC	N/O N/A	Proper coo	oking, time and tempe	rature		
LM Love	Employee Hea					N/O N/A		neating procedures fo			1
TUO NL	Management awareness; policy proper use of reporting, restriction					N/O N/A		oling time and tempera holding temperatures		_	+
JN DUT N/O	Good Hygienic Pra Proper eating, tasting, drinking or			Ĭ.	OUT	N/A		d holding temperature e marking and dispos			
JA OUT N/O	No discharge from eyes, nose an					N/C N/A	Time as a	public health control (+
4 . [33. [5]	Preventing Contamination	n by Hands			501	V O NA	records)	Consumer Adviso	ry	_	+
OUT N/O	Hands clean and properly washe			M	OUT	N/A	Consumer undercook	advisory provided for			
OUT N/O	No bare hand contact with ready- approved alternate method prope							ighly Susceptible Pop	ulations		
IJ ✓ DUT	Adequate handwashing facilities accessible			IN	TUC	N/O N/A	Pasteurize offered	d foods used, prohibit	ed foods not		
	Approved Sour	ce					ollered	Chemical			+
TUO DUT	Food obtained from approved so Food received at proper tempera				OUT	N/A		ives: approved and pu tances properly identi		d -	-
OUT N/O N/A				IN	Q V T		used			u ✓	
TA OUT	Food in good condition, safe and Required records available: shell		+ +		OUT			mance with Approved e with approved Spec		s	_
DUT N/O N/A	destruction Protection from Conta		+	LIN	OUT	N/A	and HACC				
DUT N/A	Food separated and protected	IIIIIIauoii	1	The	letter to	o the left of	f each item i	ndicates that item's st	atus at the time	e of the	
UV OUT N/A	Food-contact surfaces cleaned &	sanitized		insp	ection. IN =	in complia	ince	OUT = not in compl	iance		
IN OUT NO	Proper disposition of returned, pr	eviously served,		1	N/A	= not appli	icable	N/O = not observed			
	reconditioned, and unsafe food	GC	OOD RETA I L	PRACT		S=Correcte	d On Site	R=Repeat Item			
	Good Retail Practices are preventa		ntrol the intro	duction	of path	nogens, che			foods.		
IN OUT Paster	Safe Food and Water urized eggs used where required		COS R	IN V	OUT	In-use u	Pro tensils: prop	per Use of Utensils		cos	R
	and ice from approved source					Utensils	, equipment	and linens: properly s	tored, dried,		
	Food Temperature Contr	ol				handled Single-u	se/sinale-se	rvice articles: properly	stored, used	+	
	ate equipment for temperature cor			V			used properly	у			
	ved thawing methods used nometers provided and accurate					Food an		Equipment and Vend ontact surfaces clean		1	
	Food Identification					designed	d, constructe	ed, and used es: installed, maintain	ed used test		
				Ш		strips us	ed				<u> </u>
Food	properly labeled; original container Prevention of Food Contamir	nation			\	Nonfood	l-contact sur P	faces clean Physical Facilities		+	
	s, rodents, and animals not presen			$\overline{}$				ivailable; adequate pr			<u> </u>
and di						Plumbin	g installed; p	proper backflow device	es 		
fingerr	nal cleanliness: clean outer clothing nails and jewelry	g, hair restraint,		V		Sewage	and wastew	ater properly dispose	d		
Wiping	g cloths: properly used and stored and vegetables washed before use			√				erly constructed, supp perly disposed; facilitie			
	-				V		facilities ins	talled, maintained, an			
Person in Charge /T	itle:		Sarah F	erkins			Da	te: December 1, 20	23		
Inspector:		Donavan Ma		elephoi				llow-up:	Yes	■ No	0
MO 580-1814 (9-13)		Donovan Kle		573)43 v	51-194	47 1686 CANARY - FI		llow-up Date:			F6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES

FOOD ESTABLISHMENT INSPECTION REPORT

PAGE 2 of 2

TABLICUMEN					
	T NAME nese Steakhouse and Sushi	ADDRESS 729 Sunset Drive	CITY /ZIP Farmington, 63640		
FO	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LOCATION	TEMP. ir	n ° F
Walk	x-In: Cut Chicken, Ambient	: Cut Chicken, Ambient 38, 40 Prep Table: Noodles, Pot Stickers		41, 4	10
	i-Cooler: Defrosting Meat	25	Hot Held Broth	156	
	oor Beer Cooler: Beef Steaks	41	Shrimp off Flat Top	180)
Τw	vo Door Cooler Ambient	41			
	Meat out for cutting	42			
Code eference	Priority items contribute directly to the e	PRIORITY limination prevention or reduct	Y ITEMS tion to an acceptable level, hazards associated with foodborne illnes:	Correct by (date)	Init
	or injury. These items MUST RECEIVE			(63.6)	
01.12		ı purple liquid was obser	ved at the wait station. CORRECTED ON SITE by	cos	
01.114	labeling the bottle. No sanitizer was detected in of correct concentration and ren		ne wait station. CORRECTED ON SITE by discussion	cos	
ļ					
ļ					
Code	0	CORE I		Correct by	Initia
	Core items relate to general sanitation, standard operating procedures (SSOPs	operational controls, facilities o	ITEMS or structures, equipment design, general maintenance or sanitation rected by the next regular inspection or as stated.	Correct by (date)	Initia
eference	standard operating procedures (SSOPs Food debris and spills were	operational controls, facilities o Description of the floor be corrupted on the floor be	or structures, equipment design, general maintenance or sanitation rected by the next regular inspection or as stated.		Initi
01.12A	Food debris and spills were facilities shall be kept clean. Place A amount of saran wrap was	operational controls, facilities of the correct operations of the floor because clean the floors of found wrapped around	restructures, equipment design, general maintenance or sanitation rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a	(date)	Initi
01.12A 05.15	Food debris and spills were facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be	operational controls, facilities of the correct observed on the floor becase clean the floors of found wrapped around e in good repair. Please	restructures, equipment design, general maintenance or sanitation rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a	(date) 12/2/23	Initi
01.12A 05.15 04.12B	Food debris and spills were of facilities shall be kept clean. Pland A amount of saran wrap was leak. Plumbing systems shall be there was a scoop with no his scoop. Personal items and clothing Personal items shall be stored	operational controls, facilities of the correction of the floor becase clean the floors of found wrapped around the in good repair. Please the andle observed in a tub for employees were four separately from food eq	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the and throughout the back of house on top of equipment uipment to prevent potential contamination. Please	12/2/23 12/20/23 COS	Initi
01.12A 05.15 04.12B 03.12A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a design the test strips for sanitizer condeteriorated to the point of no least strips for sanitizer condeteriorated to the p	operational controls, facilities of the correct observed on the floor becase clean the floors of found wrapped around the in good repair. Please the andle observed in a tube for employees were four separately from food equipated and separate are oncentration available of the correct observed.	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the and throughout the back of house on top of equipment uipment to prevent potential contamination. Please	12/2/23 12/20/23 COS	Initi
01.12A 05.15 04.12B 03.12A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions. Please purchase new test strips.	operational controls, facilities of the correct observed on the floor becase clean the floors of found wrapped around the in good repair. Please the andle observed in a tube for employees were four separately from food equipated and separate are oncentration available of the conger working. Test strips.	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the reduced the back of house on top of equipment uipment to prevent potential contamination. Please ea. n site had become exposed to moisture and os for the concentration of sanitizer shall be provided.	(date) 12/2/23 12/20/23 COS 12/1/23	Initi
01.12A 05.15 04.12B 03.12A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions and the point of no lease purchase new test strip. The fan in the warewashing.	operational controls, facilities of the correct observed on the floor becase clean the floors of found wrapped around the in good repair. Please the andle observed in a tube for employees were four separately from food equipated and separate are oncentration available of the conger working. Test strips.	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the reduced the back of house on top of equipment uipment to prevent potential contamination. Please ea. n site had become exposed to moisture and os for the concentration of sanitizer shall be provided.	(date) 12/2/23 12/20/23 COS 12/1/23 12/10/23	Initi
Code eference 01.12A 05.15 04.12B 03.12A 02.14 01.14A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions and the point of no lease purchase new test strip. The fan in the warewashing.	operational controls, facilities of the correct observed on the floor becase clean the floors of found wrapped around the in good repair. Please the andle observed in a tube for employees were four separately from food equipated and separate are oncentration available of the conger working. Test strips.	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the reduced the back of house on top of equipment uipment to prevent potential contamination. Please ea. n site had become exposed to moisture and os for the concentration of sanitizer shall be provided.	(date) 12/2/23 12/20/23 COS 12/1/23 12/10/23	Initia
01.12A 05.15 04.12B 03.12A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions and the point of no lease purchase new test strip. The fan in the warewashing.	operational controls, facilities of the correct observed on the floors of ease clean the floors of found wrapped around e in good repair. Please nandle observed in a tub for employees were four separately from food equated and separate are oncentration available of conger working. Test strips. area was found to be dimination. Please clean to the correct of the correct of the correct observed in a tub on the correct observed in a tub on the correct observed in a tub of the correct observed	rected by the next regular inspection or as stated. elow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. of vinegar. CORRECTED ON SITE by replacing the reduced the back of house on top of equipment uipment to prevent potential contamination. Please ea. n site had become exposed to moisture and os for the concentration of sanitizer shall be provided.	(date) 12/2/23 12/20/23 COS 12/1/23 12/10/23	Initi
01.12A 05.15 04.12B 03.12A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions and the point of no lease purchase new test strip. The fan in the warewashing.	operational controls, facilities of the correct observed on the floors of ease clean the floors of found wrapped around e in good repair. Please nandle observed in a tub for employees were four separately from food equated and separate are oncentration available of conger working. Test strips. area was found to be dimination. Please clean to the correct of the correct of the correct observed in a tub on the correct observed in a tub on the correct observed in a tub of the correct observed	rected by the next regular inspection or as stated. Blow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. In of vinegar. CORRECTED ON SITE by replacing the end throughout the back of house on top of equipment uipment to prevent potential contamination. Please ea. In site had become exposed to moisture and top for the concentration of sanitizer shall be provided. The content of the concentration of systems shall be kept the fan.	(date) 12/2/23 12/20/23 COS 12/1/23 12/10/23	Initi
01.12A 05.15 04.12B 03.12A 02.14 01.14A	Food debris and spills were of facilities shall be kept clean. Ple A amount of saran wrap was leak. Plumbing systems shall be There was a scoop with no his scoop. Personal items and clothing Personal items shall be stored store employee items in a designation of the test strips for sanitizer conditions and the point of no lease purchase new test strip. The fan in the warewashing.	operational controls, facilities of the correct observed on the floors of ease clean the floors of found wrapped around e in good repair. Please nandle observed in a tub for employees were four separately from food equated and separate are oncentration available of conger working. Test strips. area was found to be dimination. Please clean to the correct of the correct of the correct observed in a tub on the correct observed in a tub on the correct observed in a tub of the correct observed	rected by the next regular inspection or as stated. Blow the shelving inside the walk-in cooler. Physical the walk-in cooler. the faucet of the prep sink in the kitchen to stop a properly repair the sink. In of vinegar. CORRECTED ON SITE by replacing the end throughout the back of house on top of equipment uipment to prevent potential contamination. Please ea. In site had become exposed to moisture and top for the concentration of sanitizer shall be provided. The content of the concentration of systems shall be kept the fan.	(date) 12/2/23 12/20/23 COS 12/1/23 12/2/23	Initi