

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 10:50 AM	TIME O	JT	11:2	28 AM
DATE 2/22/2024	PAGE	1	of	2

NEXT ROUTINE INSI	ECTION THIS DAY, THE ITEMS NO PECTION, OR SUCH SHORTER P	ERIOD OF TIME AS M	MAY BE SP	PECIF	IED II	N WRI	TING BY T	HE REGULA	TORY AUTHORITY. FAILURE T		
ESTABLISHMEN' KFC	ITS FOR CORRECTIONS SPECIFI T NAME:	OWNER: Ampex Inc.	MAY RESU	<u>JLI IN</u>	N CES	SATIC	ON OF YOU	JR FOOD OF	PERSON IN CHARGE: Manager		
ADDRESS: 627 V	Valmart Drive	<u> </u>					HMENT	NUMBER: 0832	COUNTY: 187		
CITV/7ID:	gton, 63640	PHONE: (573) 756-5765	5	ı	FAX:	N/A			P.H. PRIORITY : H	_м _]L
ESTABLISHMENT TYP BAKERY RESTAURANT	☐ C. STORE ☐ CATER		L I MMER F.P			ROCE AVERN	ERY STOR		ISTITUTION MOBILE	VENDOR	:S
PURPOSE Pre-opening	Routine Follow-up		☐ Other		<u> </u>	TV E.T.					
FROZEN DESSE		SEWAGE DISPOS				JPPL'		NON OOM			
	Disapproved	■ PUBLI ■ PRIVA	. -		OIVIIV	IUNIT	ч Ц	NON-COM Date Sam		E S	
License No.		RISK FAC		II DN	NTEF	RVEN	TIONS				
	od preparation practices and employ								and Prevention as contributing fac	tors in	
Compliance	tbreaks. Public health intervention Demonstration of I		COS	R		ne iline			otentially Hazardous Foods	CO	S R
W DUT	Person in charge present, dem and performs duties	onstrates knowledge,			W	DUT	N/O N/A	Proper cool	king, time and temperature		
	Employee H				IN C	DUT	N/O N/A	•	eating procedures for hot holding		
TNO OUT	Management awareness; police Proper use of reporting, restrice			Н	IN .	DUT	N/O N/A		ling time and temperatures holding temperatures		
	Good Hygienic F	Practices			JX	OUT	N/A	Proper cold	holding temperatures		
IN QUAT N/O	Proper eating, tasting, drinking No discharge from eyes, nose		-				N/C N/A		e marking and disposition bublic health control (procedures /		
OUT N/O	. .				TN	DUT	N/O N/A	records)			
OUT N/O	Preventing Contamina Hands clean and properly was				IN	TUC	MA	Consumer a	Consumer Advisory advisory provided for raw or ad food		
JM OUT N/O	No bare hand contact with rea								ghly Susceptible Populations		
TAL DAL	approved alternate method pro Adequate handwashing facilitie accessible				IN [DUT	N/O N/A	Pasteurized offered	foods used, prohibited foods not		
	Approved Sc			H				olleled	Chemical		_
OUT DUE	Food obtained from approved Food received at proper temper			Н	IN		N/A		ves: approved and properly used ances properly identified, stored a	nd	
	2				₩ (оит		used		na e	
11x On1	Food in good condition, safe a Required records available: sh								mance with Approved Procedures with approved Specialized Proce	SS	
IN OUT N/O	destruction				IN	001	N/A	and HACCF			
TAL DUT N/	Protection from Co Food separated and protected		+		The	letter t	o the left o	f each item in	dicates that item's status at the tin	ne of the	
IN QUET N/			1	H		ection.				10 01 1110	
	Proper disposition of returned,	previously served	-	Н			in complia: not appl =		OUT = not in compliance N/O = not observed		
IN OUT NO	reconditioned, and unsafe food	j					S=Correcte	d On Site	R=Repeat Item		
	Good Retail Practices are preve		OOD RETA				ogens ch	emicals and	nhysical objects into foods		
IN OUT	Safe Food and Water			R	IN	OUT	legene, en		per Use of Utensils	cos	R
\\/s	steurized eggs used where required ater and ice from approved source	I			V			tensils: prope	erly stored and linens: properly stored, dried,		
VV	ater and ice norm approved source			I		V	handled		and interis. property stored, diled,		
Add	Food Temperature Co equate equipment for temperature of				√			se/single-serused	vice articles: properly stored, used		_
	proved thawing methods used	CONTROL			V	<u> </u>		Utensils, E	Equipment and Vending		+
The	ermometers provided and accurate				\			d nonfood-co	ntact surfaces cleanable, properly		
	Food Identification				V			shing facilitie	s: installed, maintained, used; test		†
Foo	od properly labeled; original contain							l-contact surfa			
Ins	Prevention of Food Contar ects, rodents, and animals not pres				V		Hot and		nysical Facilities vailable; adequate pressure	_	-
Co	ntamination prevented during food								roper backflow devices	+	+
Box	d display rsonal cleanliness: clean outer cloth	ing, hair restraint		_		_	Sewage	and wastewa	ater properly disposed	+	+-
fing	gernails and jewelry				√	<u> </u>				\bot	
	ping cloths: properly used and store uits and vegetables washed before ι		+		√				rly constructed, supplied, cleaned erly disposed; facilities maintained	+	+
				Í		V		facilities inst	alled, maintained, and clean		
Person in Charge	/Title:		Mana	ager				Dat	e: February 22, 2024		
Inspector:	-X(I)	Donovan Kle	inberg			ne No.			ow-up: ☐ Yes ow-up Date:	1 🔳	No



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES

FOOD ESTABLISHMENT INSPECTION REPORT

PAGE 2 of 2

(FC	IT NAME	ADDRESS 627 Walmart Drive	CITY/Z	rip ington, 63640		
	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LOCA	•	TEMP. in	°F
	Hotheld Chicken	144			187	
Hothe	Id Macaroni at Steam Table	155	Chicken out of Frye		139	
Tiotile	Cold Table: Slaw	41	Walk-In Cooler: Ambi		39	
	GGIA TABIO. GIAW		Walk III Goolei. 7 IIIId	OTIL .		
Code Reference	Priority items contribute directly to the or injury. These items MUST RECEIV	PRIORITY elimination, prevention or reducti E IMMEDIATE ACTION within 7	on to an acceptable level, hazards associate	ed with foodborne illness	Correct by (date)	Initia
401.11A	Several packs of cigarettes a SITE by removing the cigarette		found throughout the kitchen. CO	RRECTED ON	cos	
-601.11A	Mold and mildew were obse	rved accumulating on the	ice dispenser for the soda fountai SITE by discussion of cleaning pr		cos	
				_		
			_			
Code Reference			TEMS structures, equipment design, general main scted by the next regular inspection or as		Correct by (date)	Initia
Reference	The urinal in the men's restrictive vat sink's faucet was bro	operational controls, facilities or s). These items are to be corre room was left running con	structures, equipment design, general mair	s stated. he unit and the	(date) 3/5/2024	Initia
Reference 205.15	The urinal in the men's restr three vat sink's faucet was broand sink. Several trays and hotel pan	operational controls, facilities or s). These items are to be corre- room was left running con- ken. Plumbing systems s s were found to be wet no	structures, equipment design, general main ected by the next regular inspection or as tinuously suggesting a fault with the	s stated. he unit and the Please fix the urinal	(date) 3/5/2024	Initia
205.15 901.11	The urinal in the men's restrictive vat sink's faucet was broand sink. Several trays and hotel pandiscussion and moving the tray Most pieces of kitchen equidebris or a combination thereo	operational controls, facilities or s). These items are to be correction was left running consider. Plumbing systems s were found to be wet not sys and pans apart. Expendent and utensils were for Non-Food Contact Surface.	structures, equipment design, general main ected by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair.	s stated. The unit and the Please fix the urinal CTED ON SITE by se, flour, food	(date) 3/5/2024	Initia
205.15 901.11 601.11C	The urinal in the men's restrictive vat sink's faucet was broand sink. Several trays and hotel pandiscussion and moving the trae. Most pieces of kitchen equipments or a combination thereof Please clean all soiled surface. The back portion of the kitch	operational controls, facilities or s). These items are to be corresponding to the correspond	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. Dested on the drying rack. CORRECT cound to be soiled either with greats.	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch.	3/5/2024 COS	Initia
205.15 901.11 601.11C 501.12A	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be corresponding to the corresponding to the control of the control of the control of the facility was covered by soiled facilities shall be eavily soiled with flour and set.	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. Ested on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both seried in up to half and inch of water	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024	Initia
205.15 901.11 601.11C	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be corresponding to the corresponding to the control of the control of the control of the facility was covered by soiled facilities shall be eavily soiled with flour and set.	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both so the ered in up to half and inch of water kept clean. Please remove the extending debris. Air vents shall the countries of the state of the shall the state of th	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024	Initia
205.15 901.11 601.11C	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be corresponding to the corresponding to the control of the control of the control of the facility was covered by soiled facilities shall be eavily soiled with flour and set.	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both so the ered in up to half and inch of water kept clean. Please remove the extending debris. Air vents shall the countries of the state of the shall the state of th	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024	Initia
205.15 901.11 601.11C	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be corresponding to the corresponding to the control of the control of the control of the facility was covered by soiled facilities shall be eavily soiled with flour and set.	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both so the ered in up to half and inch of water kept clean. Please remove the extending debris. Air vents shall the countries of the state of the shall the state of th	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024	Initia
205.15 901.11 601.11C 501.12A	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be correction was left running considen. Plumbing systems is seen found to be wet not yet and pans apart. It is present and utensils were for. Non-Food Contact Surfess. The of the facility was covered by the facilities shall be eavily soiled with flour anotential sources of contact.	structures, equipment design, general main seted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both see the properties of the propert	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024	Initia
205.15 901.11 601.11C 501.12A	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be correction was left running considen. Plumbing systems is seen found to be wet not yet and pans apart. It is present and utensils were for. Non-Food Contact Surfess. The of the facility was covered by the facilities shall be eavily soiled with flour anotential sources of contact.	structures, equipment design, general main acted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both so the ered in up to half and inch of water kept clean. Please remove the extending debris. Air vents shall the countries of the state of the shall the state of th	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024	Initia
205.15 901.11 601.11C 501.12A 501.14A	The urinal in the men's restrictive vat sink's faucet was broad sink. Several trays and hotel pandiscussion and moving the trae Most pieces of kitchen equipaleris or a combination thereof Please clean all soiled surface. The back portion of the kitch due to the broken sink faucet. The ceiling air vents were herest sink server.	operational controls, facilities or s). These items are to be correction was left running considen. Plumbing systems is seen found to be wet not yet and pans apart. It is present and utensils were for. Non-Food Contact Surfess. The of the facility was covered by the facilities shall be eavily soiled with flour anotential sources of contact.	structures, equipment design, general main seted by the next regular inspection or as tinuously suggesting a fault with the hall be maintained in good repair. The sted on the drying rack. CORRECT cound to be soiled either with great faces shall be kept clean to both see the properties of the propert	he unit and the Please fix the urinal CTED ON SITE by se, flour, food ight and touch. It in some places access water. De kept clean to	(date) 3/5/2024 COS 2/28/2024 2/26/2024 2/26/2024	Initia